

# ***DOMINION & GRIMM***



**FROM ONE GENERATION  
TO THE NEXT**



**EQUIPMENT AND ACCESSORIES**

[www.dominiongrimm.ca](http://www.dominiongrimm.ca)  
Follow us on Facebook

**2021**

# TABLE OF CONTENTS

4	EVAPORATORS
12	EVAPORATOR ACCESSORIES
18	SYRUP FILTER PRESSES & ACCESSORIES
21	SYRUP, SAP AND EQUALIZER TANKS
26	RELEASERS
34	VACUUM MONITORING SYSTEM
36	AIRABLO, BECKER, EDWARDS VACUUM PUMPS
40	REVERSE OSMOSIS AND CLEANERS
45	WASTE WATER PH NEUTRALIZER
49	TUBING, MAINLINES AND FITTINGS
65	TOOLS
68	ACCESSORIES
73	PACKAGING

## PRESIDENT'S WORD

Dear Sugarmakers,

We hope you are getting through the health crisis safely and without too much financial hardship to your businesses.

This eventful year has prompted us all to reflect on ourselves as citizens and as entrepreneurs. These difficult times have brought us back to our basic values and our origins.

At Dominion & Grimm, these times have reminded us of our long and rich history and has motivated us to keep our heritage moving forward into the future.

The quality of our products, respect, integrity, innovations, and support for our customers have been the foundation of our values since 1881.

You are our "raison d'être", the center of our efforts and the source of our visions for the future.

When you choose our products, we want the quality to serve you for generations to come.

Whether you are a small or large producer, driven simply by pleasure or commercial goals, our relationship with you is

based on respect and integrity to assist you in your passion to produce exceptional maple products.

Our traditional equipment coupled with new technology will allow you to produce syrup and maple by-products that will stand out. We continue to work to develop and manufacture products that maintain a balance between performance, economics and concern for the environment.

This year again, we are offering you new items and equipment that will improve your productivity.

We invite you to follow us on social networks to see the evolution of our innovations and discover our new products.

We wish you and your loved ones a year filled with health and syrup.

**The Dominion & Grimm Team**  
A family business for 3 generations

TO LEARN MORE ABOUT  
OUR HERITAGE



QR or Click



ADVANCED VACUUM MONITORING SYSTEM



20 INCH SYRUP PRESSES WITH ELECTRIC LEVER

## TECHNOLOGY AT THE SUGAR BUSH

**ECO-FRIENDLY** installation of the Ecovap 530 US gallons per hour electric evaporator. Superior **ENERGY EFFICIENCY** with only 2.1 kW per gallons of syrup.

The BRIX EQUALIZER modulates the Ecovap syrup draw off according to the BRIX degree to be reached.

The BRIX EQUALIZER then automatically, continuously, and precisely balances the BRIX degree of syrup in insulated tanks before barreling. The equalizer **SAVES ON LABOR COSTS** and **MAXIMIZES PRODUCTION REVENUE**.



28 MEMBRANES LA MONTAGNE AUTOMATED OSMOSIS

The sugar bush is equipped with an **AUTOMATED PH NEUTRALIZATION** system that provides reliable, flexible, and powerful control for the treatment of wastewater discharged from reverse OSMOSIS and other wash water.

TO LEARN MORE  
QR or Click



# EVAPORATORS




## A 18" X 48" WOOD EVAPORATOR

- Evaporator designed for 50 taps
- 18" x 48" flat bottom pan with 3 partitions for sap circulation and valve
- Included: burner box with **cast-iron** front, smoke stack and pipe
- Stainless steel woodfired arch set

**B** 18" x 8" preheating pan and valve

**GALVANIZED OPTION AVAILABLE**



## C MODEL 94, WOOD BURNING STOVE

Designed for 25 taps, to cook in the cabin

Furnace model 94 width 26" x 48"

Includes :

- Stainless steel furnace with **Cast-iron** front burner box
- 23" x 23" flat bottom pan
- Syrup ball valve
- 2x 26" x 12" cast-iron plates with rimmers
- Smoke stack and pipe

**GALVANIZED OPTION AVAILABLE.**

## MODEL 92 , WOOD BURNING STOVE (NOT SHOWN)

Designed for 20 taps, to prepare by-products

Furnace model 92 width 18" x 36"

Includes :

- Stainless steel furnace with **Cast-iron** front burner box
- 17" x 21" flat bottom pan
- Syrup ball valve
- 2x 20" x 12" cast-iron plates with rimmers
- Smoke stack and pipe

**GALVANIZED OPTION AVAILABLE.**

## INSULATION ACCESSORIES FOR EVAPORATORS (NOT SHOWN)

**090820** Refractory fire brick 8  $\frac{1}{4}$ " x 4" x 2  $\frac{1}{2}$ ", 2500°F

**090851** Refractory fire half-brick 8  $\frac{1}{4}$ " x 4" x 1  $\frac{1}{4}$ ", 2500°F

**090882** Refractory mortar 15 lb

**090929** Refractory mortar 55 lb

**090943** Soft fire brick (12 per case) 9" x 4  $\frac{1}{2}$ " x 2  $\frac{1}{2}$ ", 2300°F

**089657** Insulation board M Board Kaow 2' x 3' x  $\frac{1}{2}$ ", 2300°F

**089442** Insulation board Gard Pro 39  $\frac{1}{2}$ " x 39  $\frac{1}{2}$ " x  $\frac{1}{4}$ ", 1360°F

**091001** Insulation board KFAC 3' x 1' x 1", 1900°F

**089435** Insulation tape  $\frac{1}{4}$ " x 2"

**157431** High temperature sealer for insulation tape 300ml0

**268601** Ceramic insulation ribbon support

## A WOODFIRED 2' X 8', FOR 250-550 TAP MAPLE GROVE

2' x 8' evaporator for a sugar bush of 250 to 550 taps.  
Woodfired arch with one door, flue pan, and a syrup pan, float box to control the sap level in the pans, base stack and stack. Custom built to your needs.

## SAP LEVELS FOR EVAPORATORS

- B 080173** Glass tube for sap levels  $\frac{5}{8}$ " OD x 12"
- 080210** Full sap level 2" x 8"

## C WOODFIRED 2' X 6' EVAPORATOR MODEL 700

- For a 150-400 tap maple grove
- The traditional woodfired evaporator
- First-quality construction, maintaining D&G's international reputation
- Sizes available: 2' x 6' and 6' x 16'
- Furnace also available in galvanized steel
- All our woodfired evaporator front sides and doors are made of **cast iron**
- Available with drop flue pans or raised flues
- One or several syrup pans (depending on model)
- Included: syrup ball valve, drain, stainless steel transfer fittings, float box, dial-thermostat, water-level indicator, stack, pipe and stack cover


Options:

- 085789** Plate 8" x 26" with rimmers
- 085819** Full plate 8" x 26"

## D THE SPORTMAN 18" X 63" EVAPORATOR

- For a 50-200 tap maple grove
  - Included: 18" x 45" pan, 18" x 18" syrup pan, float box, syrup ball valve, stainless steel plumbing fittings, thermometer, smoke stack and pipe
  - Front side of the burner box made of **cast iron**, rather than steel
  - Furnace also available in galvanized steel
- Options:
- 085727** Plate 8" x 20" with rimmers #136
  - 085758** Full plate 8" x 20"
  - 085840** Rimmer Stove 6  $\frac{1}{2}$ " #131
  - Front part made of cast iron (18" x 12") for cooking and improved boiling rate

See options and accessories on pages 12 to 17




# EVAPORATORS



TO LEARN MORE



QR or Click



## TORNADO HIGH-EFFICIENCY WOODFIRED EVAPORATOR


Hot Air is channelled below the fire source through the double layered heated chambers found in the walls as well as the front and back portion of the arch. This multi-air injection source increases the wood combustion and maximizes gasification.

- Increased boiling capacity by 30%
- Lower your wood consumption by 30%
- Twin layer walls allows for the recuperation of heat from the combustion chamber and preheat the air injected in the main combustion chamber
- Double combustion chamber to gasify
- Air is injected in the combustion chamber at temperatures between 200° & 400°F
- Ultra-robust construction
- Fully automated models available

PREHEATS  
AIR UP TO  
200°F - 350°F

# TORNADO

- Wood
- Wood Pellets



TO LEARN MORE



QR or Click

THE MOST ROBUST WOOD EVAPORATOR IN THE INDUSTRY

2 VERSIONS:

- WOOD
- WOOD AND WOOD PELLETS

ENVIRONMENTALLY FRIENDLY

AIR INJECTION BETWEEN 200°F AND 400°F ALL AROUND THE PERIPHERY TO INCREASE COMBUSTION

30 % IMPROVEMENT ON THE BOILING RATE

SAVE UP TO 30% ON WOOD OR WOOD PELLETS

POSSIBILITY OF SWITCHING FROM PELLETS TO WOOD IN A FEW MINUTES (DUAL-ENERGY MODEL ONLY)

DOUBLE WALL SYSTEM THAT RECOVERS HEAT FROM THE COMBUSTION CHAMBER AND PREHEATS THE AIR INJECTED INTO THE FURNACE.

## FEATURES AND EQUIPMENT INCLUDED

- High quality D&G knurled connectors
- sides of the evaporator
- 3 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator
- Factory-poured high-temperature reinforced concrete combustion chamber
- Preheated air temperature gauge
- Blower drive to control airflow
- Return set and plumbing completely made of stainless steel
- Smoke stack and cover
- 1" rigid insulation panels in the



Wood pellet hopper and gear box



## CONVENTIONAL

- OIL
- PROPANE
- NATURAL GAS

TO LEARN MORE



QR or Click



HIGH PERFORMANCE AT  
AN AFFORDABLE PRICE

HIGH PERFORMANCE  
EVAPORATOR

HIGH ENERGY EFFICIENCY

SLICK, CLEAN LINES

OFFERED IN DIFFERENT PAN  
CONFIGURATIONS FOR BOILING  
FLEXIBILITY FROM 2 TO 35 BRIX

CARLIN BURNER

AVAILABLE SIZES: 2'X6' T 6'X18'

### FEATURES AND EQUIPMENT INCLUDED

- High quality D&G knurled connectors
- Smoke stack and cover
- Barometric damper (draft control) with stack adapter
- Aesthetic pan and ultra-strong D&G fold
- 2 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator and 1 layer of no.6 ceramic wool
- Return set and plumbing completely made of stainless steel
- First start-up accompanied by a D&G technician
- Inlet float box
- Transfer box (raised flue model)
- Water level



Carlin Burner

# CHAMPION

- Oil
- Propane
- Natural Gas

FROM ONE GENERATION TO THE NEXT



TO LEARN MORE



QR or Click

SINCE 1885, ITS HERITAGE OF HIGH PERFORMANCE, AESTHETICS AND SUPERIOR FINISH HAS MADE THE CHAMPION THE MARKET LEADER

HIGH PERFORMANCE EVAPORATOR

UNIQUE STREAMLINED DESIGN

HIGH ENERGY EFFICIENCY

OFFERED IN DIFFERENT CONFIGURATIONS

AUTOMATION AVAILABLE

CARLIN OR POWERFLAME BURNER

BOILING FLEXIBILITY FROM 2 TO 35 BRIX

AVAILABLE SIZES: 2'X6' TO 6'X18'

## FEATURES AND EQUIPMENT INCLUDED

- Integrated control panel
- Noise insulated burner box
- High quality D&G knurled connectors
- Wiring hidden in the furnace
- Smoke stack and cover
- Barometric damper (draft control) with adapter
- Carlin burner
- Syrup recovery tray
- Aesthetic pan and ultra-strong D&G fold
- Rigid 1" insulation board in the sides of all Champion evaporators
- 3 layers of factory-installed no. 8 ceramic wool throughout the evaporator
- Cooling air chamber all around the evaporator keep sides safe
- Return set and plumbing completely made of stainless steel
- Smoke stack thermometer
- First start-up assisted by a D&G technician

### Instrumentation:

- Magnehelic gauge
- Pressure gauge (0-200PSI)
- Burner starter
- 110 volt electrical outlet



# EVAPORATORS

THE MOST EFFICIENT  
EVAPORATOR IN THE  
INDUSTRY

## THUNDERBOLT

- OIL



TO LEARN MORE



QR or Click

VERY HIGH PERFORMANCE  
EVAPORATOR, BOILING CAPACITY  
UP TO 5.25 GALLONS PER FT<sup>2</sup>

4 PASS HEAT EXCHANGE FURNACE

AUTOMATION AVAILABLE

HIGH ENERGY EFFICIENCY

RANGING FROM 80 TO 87%

GAS RECIRCULATION TO MAXIMIZE  
THE ENERGY OF AVAILABLE BTUS

REDUCTION OF GREENHOUSE  
GASES

OFFERED IN DIFFERENT

CONFIGURATIONS FOR BOILING  
FLEXIBILITY FROM 2 TO 35 BRIX

AVAILABLE SIZES: 3'X10' TO 6'X17'

POWER FLAME BURNER

### FEATURES AND EQUIPMENT INCLUDED

- Integrated control panel
- Wiring hidden in the furnace
- Smoke stack and cover
- Integrated modulating Powerflame burner
- Syrup recovery tray
- 1" rigid insulation panel in the sides of the evaporator
- 3 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator
- Return set and plumbing completely made of stainless steel
- High quality D&G knurled connectors
- Stainless steel 2 level catwalk and 1 step First start-up accompanied by a D&G technician

Aesthetic pan and ultra-strong D&G fold




Instrumentation:

- 2 oil pressure gauges
- Preheated oil and air temperature gauges
- Burner starter
- 100 volt electrical outlet

# ECOVAP

- ELECTRICITY



TO LEARN MORE



QR or Click

THE GREATEST TECHNOLOGICAL  
BREAKTHROUGH FOR THE  
MAPLE SUGAR INDUSTRY

ENVIRONMENTALLY  
FRIENDLY ELECTRICALLY  
POWERED TECHNOLOGY

TOTAL RECOVERY OF ENERGY  
CONTAINED IN MAPLE SAP

NO GHG OR AIR  
CONTAMINANT EMISSIONS

6 CAPACITIES: 80, 125, 160,  
225, 340 AND 440 GPH

2.1 kW PER US GALLON OF  
SYRUP

Demonstration on:



QR or Click

## FEATURES AND EQUIPMENT INCLUDED

- No smoke or steam stack
- Fully automated, resulting in substantially lower labor costs
- Plate heat exchanger and heating elements preheat sap and improve evaporator performance by 25%
- Allows feed of concentrate up to 22 BRIX
- New Power Unit system for 230, 460 and 575 V units
- Over 275 units sold since 2014
- Better tasting, color-defined syrup
- Fast and easy boiling and cleaning

### INCENTIVES AVAILABLE




Rotary wash support for  
condensers



# EVAPORATOR ACCESSORIES

A




## A AUTOMATED POWER WASHER

Components:

- Tubing assemblies fit between flues in two sections (left and right)
- Tubing assembly with spray nozzle for the top flat section of the flues
- Stainless steel ferrules and clamps for easy disassembly (**C**)
- Washing tank on pivoting wheels (**B**)
- Gould 5hp Wash Pump (100 GPM @ 10 PSI)
- 3 High Flow modulating valves to control spray velocity
- Control box with industrial PLC
- Electronic pressure sensor to detect low water levels.


Advantages:

- Effectively cleans the bottom and sides of the flues
- Large diameter High Flow Spray Nozzle
- Strainer filter at the pump inlet above the bottom lets sugar stones accumulate . at the bottom of the tank
- Power supply requirement 230 Volt / 20 Amps (conventional outlet: 230V / 50A)



B

C



D

## D STAND ALONE SYRUP PAN WASHER

- Pump system to wash your syrup pans
- Plexiglas lid
- Tank with mesh to recover the limestone
- Number of sprinklers varies according to pans size
- Available in single, double, triple and quadruple pan format

## INTEGRATED SYRUP PAN WASHER (NOT SHOWN)

- Integrated in the pan or tanks
- Sold separately
- Plexiglas lid
- Number of sprinklers varies according to pans size

# EVAPORATOR OPTIONS

A



## A FLOW INVERTER

- Manual or automated flow inverter
- Allows to maintain flow without substituting pans
- Center flow capability

## EVAPORATOR HOOD (NOT SHOWN)

- Stainless steel hood
- Full steam energy recovery
- Improves evaporator performance
- Single or dual function preheater
- LED hood lights

## TRANSFERT BOX

B 216589 Transfer box with sediment trap

B



## C BUTTERFLY VALVES

- 210501 1 1/2" butterfly valve
- 210136 1 1/2" butterfly valve with ferrule
- 210532 2" butterfly valve
- 210143 2" butterfly valve with ferrule


C



## VALVES

D Electric sap entry and transfer valves controlled by level probes. SAP automatically enters the flue pan and is automatically transferred.

D



## DÉTECT-O

Alarm is triggered by low levels of sap in the pans.

E 471001 Detect-o alarm for oil-fired evaporator  
(automatic burner cut out, wiring not included).....\$372.00

470998 Detect-o alarm only (for wood-fired evaporator) .....\$290.00

E



## DEFOAMER DISPENSERS

Liquid anti-foaming protector for spoke breakdown and flat bottom failure.

- Liquid defoamer tank inside hood
- Preheated by steam, the defoamer is carried by gravity to the determined locations
- Made from 100% stainless steel

202957 Manual defoamer dispenser

F 280535 Automated electric defoamer dispenser


## OTHER OPTIONS (NOT SHOWN)

- |                                |                               |
|--------------------------------|-------------------------------|
| –Ferule connectors             | Oil fired options:            |
| –Smoke stack thermometer       | –Modulating Powerflame burner |
| –Electrical outlet (110 volts) | –Magnéhélic gauge             |
| –Draft control                 | –Pressure gauge (0-200PSI)    |
| –Stainless steel catwalk       |                               |
| –Syrup recovery tray           |                               |

F



# EVAPORATOR ACCESSORIES



## A INSULATED SMOKE STACK

- Stainless steel and insulated wool
- Counterpart UL2561
- Available in lengths of 12", 24" or 48"

## B STACK BASE FOR ARCHES

24" pipe included.

Galvanized	Diameter	S/S 304	Galvanized	Diameter	S/S 304
252358	2' x 6' x 10"	251757	252563	4' x 10' x 18"	251962
252389	2.5' x 6' x 12"	251788	252594	4.5' x 10' x 22"	251948
252440	3' x 6' x 14"	251849	252655	5' x 10' x 22"	252020
252471	3.5' x 6' x 16"	251870	252716	6' x 10' x 26"	252082

## C SMOKE STACK (STAINLESS STEEL 304)

Priced per linear foot.

	Diameter	Diameter	
252990	7"	253171	18"
253027	8"	253201	20"
253058	10"	253232	22"
253089	12"	253263	24"
253119	14"	253294	26"
253140	16"		

Also available in galvanized steel.

## D PEAK STYLE COVER WITH SCREEN

For steam stack or oil-fired arch smoke stack. Made from stainless or galvanized steel.

## E TILTING SMOKE STACK COVERS

Including cover and 12" of pipe. Available in stainless or galvanized steel.

## F ROOF JACK

Includes a collar to seal the opening between the smoke stack.  
Made with stainless or galvanized steel..... PRICE ON REQUEST  
157462 Flashing sealant in 300 ml tubes.....\$18.40

## G BAROMETRIC DAMPER (DRAFT CONTROL)

Stabilizes the pressure inside the combustion chamber. Self-adjustment depending of the negative or positive pressure. Required for the proper adjustment of your oil-fired evaporator. Available in many sizes 8" to 24" diameter.

## H CAST IRON GRATES FOR WOOD EVAPORATOR

087820	18" x 5" (D-08).....	\$56.30	087943	42" x 4" (D-23).....	\$117.20
087851	24" x 3" (D-09).....	\$48.10	087974	48" x 4" (D-93).....	\$140.90
087882	30" x 3.5" (D-26) ..	\$103.10	087981	Concrete grate 11" x 10" .....	\$56.70
087912	36" x 4" (D-96).....	\$112.50			

# EVAPORATOR ACCESSORIES

## A MODULATING AUTOMATIC DRAW-OFF

Fast and progressive opening and closing with modulating device enables continuous syrup flow and balanced evaporation process.

- 491795** 1" Automatic draw-off ..... \$1516.50
- 491740** 1 1/4" Automatic draw-off ..... \$1516.50
- 491757** 1 1/2" Automatic draw-off ..... \$1620.00
- 491733** 2" Automatic draw-off ..... \$1400.00
  
- B** **217258** 1 1/2" x 1 1/2" Automatic draw off adaptor
- 217319** 2" x 1 1/2" Automatic draw off adaptor
- 217333** 2" x 2" Automatic draw off
  
- C** **084010** 2" x 2" automatic draw off 2" milk clamp  
(other sizes available)



**A**




## PROBE INVERTER

- D** **412639** Positioner for 2 syrup controller probes for use with syrup flow inverter.  
(one probe included) ..... \$337.40

## PLUGS

- E** **212192** 1.5" plug with handle, silicon blue
- 212956** 2" plug with handle, silicon blue




## PROPANE STOVES


- F** **183812** Complete (without lid). Including letters (G, H, J, K) ..... \$576.90
- G** **183829** Stove only. Pressure regulator included.  
Dimension 16" x 16". 65.000 BTU capacity.  
Can be connected on any domestic propane tank ..... \$83.50
- H** **206481** Stainless steel pan n° 304 16" x 16" x 12"  
high with 3/4" outlet and adaptor ..... \$274.00
- I** **206511** Stainless steel lid for 16" x 16" pan ..... \$61.20
- J** **183843** Stand for propane stove with adjustable shelf **CLEARANCE ..** \$228.30
- K** **216817** 3/4" Z-p ball valve (Stainless Steel) ..... \$49.40
  
- L** **206535** Steamer rack for filters ..... \$156.70
- M** **206528** Bain-marie 16" x 16" with 3/4" outlet ..... \$261.80
- 206467** Bain-marie 16" x 16" with 3/4" outlet and 1/4" outlet  
for thermometer ..... \$269.10

### Accessories for propane stove

- N** **461484** No drip 3/4" nylon filler adaptor ..... \$72.40
- O** **046285** 3/4" stainless steel street elbow ..... \$16.20



# EVAPORATOR ACCESSORIES



## SKIMMERS – STAINLESS STEEL

<b>A</b>	267482 Perforated 4"	\$68.70
<b>C</b>	267512 Not perforated 4"	\$64.90
<b>D</b>	267420 Perforated 6"	\$74.20
<b>B</b>	267451 Not perforated 6"	\$69.60

## DIPPERS – STAINLESS STEEL

<b>C</b>	267147 Round 5"	\$70.90
<b>D</b>	267178 Round 6 1/4"	\$72.80
<b>E</b>	267208 Round 7 1/4"	\$72.80
<b>F</b>	267055 Flat right side 7 1/4"	\$99.00
<b>G</b>	267086 Flat left side 7 1/4"	\$99.00
<b>H</b>	267239 Maple taffy dipper with 2 grooves	\$80.50
<b>I</b>	217784 5" support for dipper	\$34.00
	217685 7" support for dipper	\$34.00

## SUGAR PANS WITH 3/4" OUTLET, STAINLESS STEEL N° 304

Valve not included.

<b>J</b>	205828 12" x 17" x 11" with 3/4" outlet	\$261.40
<b>K</b>	206030 12" x 23" x 11" with 3/4" outlet	\$288.00
<b>L</b>	206092 17" x 23" x 11" with 3/4" outlet on the 23"	\$307.00
	206122 17" x 23" x 11" with 3/4" outlet on the 17"	\$307.00
<b>M</b>	206184 23" x 23" x 11" with 3/4" outlet	\$369.80
<b>N</b>	216817 Special 3/4" stainless steel ball valve	\$49.40
	206450 Stainless steel n° 304 pan 16" x 16" x 12" high, no outlet	\$218.70
	206528 Pan 16" x 16" x 12" high with 3/4" outlet	\$261.80
	206467 Pan 16" x 16" x 12" high with 3/4" outlet and 1/4" outlet for thermometer	\$269.10

## ROUND SUGAR PANS, STAINLESS STEEL N° 304

<b>O</b>	206214 10" x 14" x 5"	\$249.10
<b>P</b>	206245 12" x 16" x 6"	\$252.90
Pan (not shown)		
	206276 16" diameter x 16" high	\$331.40

# EVAPORATOR ACCESSORIES

QR or Click



Demonstration on:



## DOMINION & GRIMM MAPLE CREAM MACHINE

Mixer holding up to 2 gallons of maple syrup.  $\frac{3}{4}$  hp – 110 Volts electric motor. 1" lead free brass "Oberdorfer" gear pump. All stainless steel plumbing on ferrules with fittings fully removable for a quick cleaning of the tank and the plumbing.

264306 Mixer for maple cream.....\$2385.00

053283 2" Silicone gasket .....PRICE IN STORE

264313 Stainless steel arm to clean & empty cream machine pipe.....\$38.30



COMPLIANT WITH THE  
CALIFORNIA LEAD  
AGREEMENT

## DOMINION & GRIMM CREAM MIXER

– 1/2 hp – 110 Volts electric motor with a gear box

– Compact and robust construction

– Completely made in stainless steel

– Holes in the paddles for better mix

265747 ..... \$1 995.60

206306 16" x 6" Additional sugar pan ..... \$254.10



## D&G HIGH CAPACITY MAPLE CREAM MACHINE

– The water cooling system allows the product to be processed without having to cool it beforehand

– Continuous cream production

– Easy disassembly with ferrules for easy cleaning

– 2 hp motor running on 220V


– Yaskawa drive

– Stainless steel endless screw, tubing,  
frame and production casing



COMING SOON

# SYRUP PRESSES




A


B

C

FILTERS UP TO  
1300 GALLONS WITHOUT  
CHANGING PAPERS



D



E

FILTERS UP TO  
1800 GALLONS WITHOUT  
CHANGING PAPERS

## HIGH QUALITY PRIMARY ALUMINUM FINISH

### A 20" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 25,000 taps and more. Capacity of 920 in<sup>3</sup> of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

**264856** 20" Syrup filter press complete (7 frames)

**265211** 20" Syrup filter press complete (10 frames)

**B** **NEW** Included single air inlet to supply the diaphragm pump and hydraulic cylinder

**C** **385551** Plumbing kit with ferrules for diaphragm pump

**D** **265457** Black hydraulic cylinder with pedal (industrial)

### E 15" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 15,000 to 30,000 taps and more. Capacity of 415 in<sup>3</sup> of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

**264528** Syrup press (complete with 7 frames)

**264542** Syrup press (complete with 10 frames)

### ACCESSORIES FOR SYRUP FILTER PRESSES

**485350** Filter aid 10 pounds

**485374** Filter aid 50 pounds "Speed plus"

**485343** Filter aid 50 pounds "Dicalite"

**485619** Set of 7" D&G white papers 487323 (20 microns)

**485633** Set of 10" D&G white papers 400/box (20 microns)

**487477** Set of 15" D&G white papers 250/box (20 microns)

**485626** Set of 20" D&G white papers, 250/box (20 microns)

**487323** Set of 7 ¾" Leader white papers, 400/box

**487460** 15" polyester filter for D&G press

**487453** 15" polyester double press filter

**487484** 20" Polyester filter for D&G press

**F** **080791** 0-100 PSI Pressure Gauge (Lead free brass)


**G** **080838** 0-100 PSI D&G Pressure gauge, stainless steel



## 10" DIAPHRAGM SYRUP FILTER PRESSES

Capacity of 187 in<sup>3</sup> of filtration per empty frame.

- A** 265143 Complete (7 frames) with 6 GPM 1/8 hp Flojet electric diaphragm pump
- 265426 Complete (7 frames) with 1/2" diaphragm Allflow pneumatic pump
- 265204 Extended complete (10 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- 265181 Long complete (10 frames) with 1/2" diaphragm Allflow pneumatic pump




## 7" SYRUP FILTER PRESSES

Capacity of 80 in<sup>3</sup> of filtration per empty frame.

- B** 264702 Complete (7 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- C** 264825 Complete (7 frames) with 1/2" Allflow diaphragm pneumatic pump
- 264795 Complete (3 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- Flojet pump and plumbing adapted for filter press
- 265099 Complete (3 frames) with 1/2" Allflow diaphragm pneumatic pump

Also available with 4, 5, or 6 2" thick frames. Optional tilting support.



## ROCKING SUPPORTS

- D** 265495 Rocking support for 7" and 10" press (painted blue)
- E** 265327 Stainless steel rocking support for 7", 7" short & 10" presses


## F SYRUP PRESS SEPARATORS WITH STAINLESS STEEL HANDLE

– Prevents the press from getting completely dirty if you have only a small quantity of syrup to filter


– Separates the frames of the press

– Saves time and paper filters

264566 7"	\$15.90
265150 10"	\$29.70
265792 15"	\$44.60
265808 20"	\$58.50




# SYRUP PRESSES




A

IN COMPLIANCE WITH  
THE CALIFORNIA  
LEAD AGREEMENT



B



C




D



E



F



H

## A LEAD FREE OBERDORFER BRASS PUMP

**A** 092411 Oberdorfer 1" brass pump for cream machine

**B** 098574 Oberdorfer 1/2" brass pump

1/2" repair kit

098291 2 gears, gasket and packing

485671 Gasket and packing

## 6 GPM (GALLONS/MINUTE) FLOJET PUMPS

– Flojet Diaphragm pump, NSF approved

– Made of nylon

– 1/8 hp integrated motor

– 6 gallons/minute pump (GPM)

– Maximum pressure of 50 PSI

– Can replace your Oberdorfer 1/2" brass pump

**C** 385964 Pump, assembled on a stainless steel frame.....\$496.00

**D** 385940 Flojet Pump only.....\$300.00

## FLOJET COMPLETE KIT

**385568** Includes (D - E - F) :

– Flojet 6 gallons electric diaphragm pump only

– Stainless steel plumbing kit

– Stainless steel frame and stand kit with 1/2" adaptors

(Items can be sold separately) .....\$516.00

## E FLOJET PUMP'S COMPLETE PLUMBING KIT

**385582** Plumbing kit necessary to replace the Oberdorfer pump. Includes miscellaneous plumbing items and a 0-100 PSI dial for the Flojet pump. ....\$145.60

## F FLOJET PUMP'S FRAME AND STAND KIT

**385575** includes the stainless steel frame and the stainless 1/2" pump adaptors, bolt and o-rings (2x) .....\$70.40

## FOOD GRADE GREASE (NOT SHOWN)

**477515** Cartridge – 400 g .....\$11.70

## G DIAPHRAGM PUMPS FOR FILTER PRESSES

These pumps require an air compressor.

**358159** 1/2" Aluminum diaphragm pump for 7" or 10" press

**358203** 1" Aluminum diaphragm pump for 15" or 20" press

## INSULATED COVER FOR FILTER PRESSES

Maintains the syrup temperature

**266515** Cover for 7" presses (3 frames).....\$234.00

**266140** Cover for 7" presses (7 frames) .....\$355.50

**H** **266133** Cover for 10" presses (7 frames).....\$445.50

**266430** Cover for 15" presses .....\$625.50

**266126** Cover for 20" presses.....\$805.50

## SYRUP DUMPING TANKS OR SYRUP DRAW-OFF CONTAINERS

Compartmentalized tanks to separate the syrup pan liquid from each pan during the cleaning or when switching syrup pans. Allows you to pump back the syrup pan concentrated liquid without mixing it from one pan to another. Plumbing system and valve to pump back into the syrup pan(s). Can be used as syrup draw-off container.

**270901** Tank, 2 compartments 25 gallons (not shown)

- Also available in 20, 33, and 40 gallons

**A 270932** Tank, 3 compartments 25 gallons

- Also available in 40 gallons

- Pump available as an option

**A**



**B**



## CONTAINERS

**B 270987** Tank, 2 compartments 25 gallons

- Also available in 20, 33, and 40 gallons

**271014** Tank, 3 compartments (not shown)

- Also available in 40 gallons

- Pump available as an option

## C PEDAL FILLER

Solenoid electric valve and stainless steel adaptors ( $\frac{1}{4}$ ",  $\frac{3}{8}$ " or  $\frac{1}{2}$ ").

Pedal-activated opening /closing. Fills one bottle at a time. Easy to clean.

**266188** Pedal filler **CLEARANCE** .....\$270.00

**C**



## SYRUP DOUBLE BOILERS, STAINLESS STEEL NO° 304

Syrup filler, stainless steel n° 304

**D 266256** 40 gallons gravity filling unit, base included .....\$3339.90

Electric water jacketed model 5000W – 220V. Adjustable thermostat.

The plumbing is all in stainless steel. Adjustable table and paint rack/base included. Water and syrup acrylic level.

**266287** Base only 40 gallons (Frame steel painted blue).....\$375.40

**E 266201** Base counter only 40 gallons (Frame stainless steel).....\$573.10

**F 266218** 10 gallons filler - stainless steel base included.....\$2 485.80

Electric water jacketed model 3000 W – 220 V. Adjustable thermostat.

The plumbing is all in stainless steel. Adjustable table and paint rack/base included. Water and syrup acrylic level.

**266195** Base only 10 gallons, steel frame painted blue  
(can be sold separately) .....\$214.00

**G 266300** Base counter only (for filler 10 gallons stainless steel) .....\$437.20

**095559** Dial thermometer 3" x 6"  $\frac{1}{2}$  connection (0° to 250°F) .....\$76.10

**D**



**E**

## ELECTRIC WATER JACKETED ELEMENTS (NOT SHOWN )

**111945** 5000 Watts

**111914** 3000 Watts


# SYRUP TANKS



## ALSO AVAILABLE IN STAINLESS STEEL



K



## STAINLESS STEEL CONTAINERS FOR MAPLE

Container in stainless steel n° 304 with lid

<b>A</b>	523342	30 liters .....	\$331.50
<b>B</b>	523373	40 liters .....	\$377.40
<b>C</b>	523359	50 liters .....	\$411.30
	208843	¾" Female welded adaptor .....	\$38.70

## COMPLETE SYRUP FILTERING CONTAINERS

Complete with lids. Supplied with ¾" valve, polyester, and hole adapter for holding filter.

262739	10 gallons, 1 polyester.....	\$601.50
262746	15 gallons, 1 polyester.....	\$632.70
262777	25 gallons, 2 polyesters.....	\$772.70

## SYRUP DRAW-OFF CONTAINERS WITH LIDS

Stainless steel n° 304. Valves not included.

<b>D</b>	262623	6 gallons, 22" height x 9" diam.....	\$384.10
<b>E</b>	262630	10 gallons, conical bottom, 25" height x 12" diam. ....	\$433.20
<b>F</b>	262654	15 gallons, conical bottom, 25" height x 16" diam. ....	\$474.80
<b>G</b>	262685	25 gallons, conical bottom, 25" height x 20" diam. ....	\$554.30
<b>H</b>	262715	50 gallons, conical bottom, 30" height x 23" diam. ....	\$697.00
	216817	Z-P ¾" stainless steel ball valve.....	\$49.40
	216787	Z-P ½" stainless steel ball valve.....	\$42.40
	263217	1-hole adapter for 10-gallon syrup container .....	\$180.80
	263224	1-hole adapter for 15-gallon syrup container .....	\$198.70
<b>I</b>	264122	Syrup container ring .....	\$55.90

## SUPPORTS WITH WHEELS FOR SYRUP CONTAINERS

262265	Round 10 gallons (12" diameter) .....	\$130.60	
262227	Round 15 gallons (16" diameter) .....	\$141.00	
<b>J</b>	262258	Round 25 gallons (20" diameter).....	\$143.00
	262289	Round 50 gallons (23" diameter).....	\$148.60

## K STAINLESS STEEL PADDLE FOR SYRUP CONTAINERS

267307	To stir the syrup in the containers (measures 48" long)	\$125.20
--------	---	----------


## PRE-FILTER BAG LINERS

Heavy-duty polyester filters. Increase filter bags lifetime.

<b>L</b>	487514	FDA – pre-filter n° 8	+/- 100 Microns	\$17.70 / dz	
	<b>M</b>	487538	Paper – square 36" x 36"	+/- 100 Microns	\$28.40 / dz

## FILTER BAGS (FDA APPROVED)

<b>N</b>	487767	Polyester n° 8	5 Microns	\$11.70
<b>O</b>	487781	Polyester n° 8	1 Microns	\$16.20
<b>P</b>	487828	Polyester 36" x 36"	5 Microns	\$15.30
<b>Q</b>	487804	Polyester 36" x 36"	1 Microns	\$34.70
<b>R</b>	487330	Felt n° 8 (without stitches)	18 Microns	\$52.20

**A****SUPERIOR TO THE COMPETITION  
ULTRA-STRONG STEEL STRUCTURE****A ROUND BOTTOM TANKS**

Round bottom tanks, 100 to 9000 gallon capacity, stainless steel 304-2B (Dull) or 304 (Bright), 22ga or 20ga depending on the size

**274275** Customized tagging on tank available

**B INTERIOR TANK LADDER**

**289705** Ladder for 7' and 7 1/2' tanks

**SILICON PLUGS FOR TANKS (NOT SHOWN)**

**402418** 1 1/2" DFA tank plug

**402425** 2" DFA tank plug

**402487** 3" DFA tank plug

**C PLASTIC TANKS FOR SAP**


Plastic sap storage tank with wide stainless steel opening and stainless steel cover.

473166 65 US gallons (23" x 43" x 26") 12.5" opening.....\$716.40


473203 125 US gallons (32" x 41" x 35") 16 1/4" opening.....\$762.30

473128 225 US gallons (38" x 49" x 41") 16 1/4" opening.....\$886.50

# BRIX BALANCER TANK



QR or Click  
TO LEARN MORE



## BRIX EQUALIZER TANK (INSULATED)

- Insulated tank
- Conical bottom
- Two section Lids on hinges
- Tank helps you equalize the Brix and temperature of large quantities of syrup for consistent packaging
- Optional castors

**A** 280986 Insulated tank (250 gallons)

**280962** Insulated tank (125 gallons) not illustrated

**262968** Square insulated tank (50 gallons) not illustrated

- Option with heating element
- Option with mixer

**B** 280801 Frame for Brix Tank (250 gallons)

**C** 280900 Ladder for Brix tank

**280948** Brix balancer mixer

**D** – 1/4 hp - 110/120 Volts motor (21 RPM)

**E** – Stainless steel blade

**TO LEARN MORE**



## AUTOMATED BRIX EQUALIZER

**F** 412684

**Automatically adjust the flow of the evaporator draw off valve according to the desired BRIX**

- Allows to reach a more precise BRIX and reduces labor costs
- Facilitates and speeds up BRIX balancing, preventing syrup cooling before barreling.

**Automatically and precisely balances the BRIX degree of syrup in insulated tanks before barreling.**

- Maximizes production income: Each excess BRIX in a 34 gallon tank is equivalent to 0.67 gallons of syrup lost.
- Fully automated Brix Equalizing by controlled filtrate injection (easy to operate and intuitive)

### Includes:

- Touchscreen Start-up, Parameter Settings and Alarms
- Automatic and programmable settings for the mixer in the insulated balancing tank
- Separate manual start control for pumps and mixer
- Management of the external pump for barrel filling
- Variable metering feed pump for permeate injection in the syrup
- Control box (PLC / interface: industrial Schneider "Touchscreen")
- Alert for cleaning the Brix reader
- 0 to 80 Atago Brix reader, with integrated temperature sensor
- Stainless steel piping and quick coupling
- Flojet (6 GPM) circulation pump for barrel transfer
- 6 gallon tank for permeate feed
- Low-level alarm automatically stops the transfer to barrel allowing consistent Brix and syrup temperature
- 120 Volt / 15 Amp Power Supply

## ATAGO REFRACTOMETER CM-800A – 0-80 BRIX

**G** 132933 Continuous Brix degree reader for syrup

# BRIX AUTOMATED EQUALIZING SYSTEM



~~~~~ **Adjustment of the draw-off temperature value of the evaporator draw off according to the BRIX degree to be reached in the mixing tank.**

~~~~~ **BRIX equalizing before barreling**


~~~~~ **Syrup flow diagram**

# RELEASERS



**A**

**NEW**



**B**

**D**

**C**

**E**



**F**

## A ELECTRIC RELEASERS WITH SUBMERSIBLE PUMP

- For sugar bush with 100 to 30 000 taps
- 1.5 hp pump is installed within the releaser
- Easy to operate. Can release water with a vacuum of 27 Hg and up with no vacuum interruption, and a 2" output

**For 2300 taps and less (1 pump 0.5 hp)**

- A 483421** Vertical 10" x 30", 110 volts (DG-224-PS) **NEW**
  - Manifold height 32"
- 388873** Horizontal 14" x 30", 110 volts (DG-223-30PS)
  - Manifold height 22.5"
- 485916** Horizontal 18" x 24", 110 volts (DG-225-PS)
  - Manifold height 25.5"
- 487286** Horizontal 14" x 36", 230 volts (DG-223-36S) **NEW**
  - Manifold height 22.5"

**Capacity of 4000 taps (2 pumps 0.5 hp)**

- 487728** Horizontal 18" x 24", 110 volts (DG-225-2PS) **NEW**
  - Manifold height 25.5"

**Capacity of 4000 taps (1 pumps 1 hp)**

- 484346** Horizontal 14" x 36" (DG-223-PS)
  - Manifold height 22.5"

## B Capacity of 7000 taps. (1 pump 1.5 hp)

- 407468** Horizontal 18" x 36" (DG-227-PS)
  - Manifold height 25.5"

**For 7000 to 15 000 taps (2 pumps 1.5 hp)**

- 407512** Horizontal 18" x 36" (DG-227-2PS)
  - Manifold height 25.5"

## C SPRINKLER TO WASH THE RELEASER

- 409226** Sprinkler set for releaser
  - Model operated under vacuum
  - By sucking water from your tank, the sprinkler cleans the walls of your releaser
  - Optional or included on your new releaser
  - Fits on your current releaser
  - Also available for mechanical releaser

## D SET OF LED LIGHTS

- 487217** Set of LED lights for releaser
- 487244** Set of LED lights for double releaser
  - Ideal to improve vision inside the manifold

## E STAINLESS STEEL SUBMERSIBLE PUMP OUTLET

- 487200** Stainless steel outlet kit for submersible pump

## F ELECTRIC SUBMERSIBLE MULTI-PUMP RELEASER

- Capacity of 25 000 taps
- 484438** (DG-227-PSM) 4 pump model
  - Horizontal model 18" X 60" with 2 cylinders
  - Manifold height 44"
  - Available in 2, 3 or 4 pumps configurations depending on the number of taps

## A ELECTRIC ECONOMIC RELEASER

Horizontal, electric extractor with 1.5 hp submersible pump

Capacity of 2300 taps

**484353** (DG-225-PS eco) 18" x 36"

- Submersible pump 0.5 hp, 110 Volts

Capacity of 6000 taps

**409370** (DG-227-PS eco) 18" x 36"

- Economical version of the 227-PS extractor

- Has the same features as other submersibles, but without manifold.

- Suitable for wet/dry systems that have only two extractors at the pumping station.

- Manifold height 22"



## B INTELLIGENT PUMP CONTROLLER

**601613** Yaskawa controller

- Modulates the speed of the submersible pump according to the volume in the releaser

- Continuous sap evacuation

- Saves electricity

- Increases the longevity of the pumps



## C HORIZONTAL ELECTRIC DUAL-PUMP RELEASERS

For 4000 - 20 000 taps (the number of pumps used varies according to the number of taps)

**484339** (DG-223-36) 14" x 24" 2 penn switch, manifold height 26.5"

**400766** (DG-227-36) 18" x 36" 2 penn switch, manifold height 29.5"


**400605** (DG-227-48) 18" x 48" 3 penn switch, manifold height 29.5"

- System uses two water pumps

- Second pump serves as backup if first pump is insufficient

- "Gould" pumps can extract water from the sap to a vacuum of 27 Hg and higher

- Pump and stand not included



## D RELEASER STAND FOR WATER PUMP

Available for 1, 2 or 3 water pumps

## E HORIZONTAL ELECTRIC SAP RELEASERS (1 PUMP)

Capacity of 4000 taps

**486173** 14" x 24" (DG-223)

Manifold height 26.5"


Capacity of 5000 taps

**400452** 18" x 24" (DG-225)

**400544** 18" x 36" (DG-227)

- Requires a water pump to dump the sap

- Manifold height 29.5"



## F VERTICAL ELECTRIC SAP RELEASERS

Capacity of 1500 taps.

**400391** 10" x 24" (DG-224)

Capacity of 2500 taps.

**400421** 10" x 36" (DG-224-1)

- Requires a water pump to dump the sap


- Manifold heights:

- For 1500 taps (25")

- For 2500 taps (38")

# RELEASERS

ALL SAP RELEASERS ARE  
FACTORY TESTED AND  
CHECKED.



## CONTINUOUS VACUUM



THE MODEL OF THE RELEASER IS DETERMINED  
BY THE NUMBER OF TAPS AND VACUUM LEVEL

### A VERTICAL MECHANICAL SAP RELEASER

Capacity of 700 taps

**400278** (DG 216) 10" x 18"

- Mechanical releaser
- Installed above small storage tank
- Manifold height: 20"

### B HORIZONTAL MECHANICAL SAP RELEASER

Capacity of 2500 taps.

**400926** 10" x 18" horizontal (DG-213H)

Continuous vacuum releaser

- Installed on a storage tank
- The sap is alternately dumped in, one side at a time
- Manifold height: 16.5"

### C DOUBLE VERTICAL MECHANICAL SAP RELEASERS

Capacity of 3000 taps

**400186** 10" x 18" (DG 213-18) Manifold 18"

**400407** 10" x 24"(DG 213-24) Manifold 24"

- Continuous vacuum mechanical sap releaser
- Installed on a storage tank
- The sap is alternately dumped in, one side at a time
- Manifold height 20"

### E GUIDE ROD FOR RELEASER

– Improved rod guide with seal for high vacuum (27 Hg and over)

- Improves the tightness of the device
- Installs on any new device and existing ones

– When installed as an add-on, the float rod is mandatory when installing the guide

– Daily maintenance required

### D DOUBLE HORIZONTAL MECHANICAL SAP RELEASERS

Capacity of 2 500 taps

**407956** 10" x 36" (DG 214)

Capacity of 6000 taps

**400476** 14" x 36" (DG 219)

Capacity of 12 000 taps

**400308** 18" x 36" (DG 220) Vacuum inlet 2"

**400377** 18" x 36" (DG 220-3) Vacuum inlet 3"

25,000 taps capacity

**400360** 18" x 48" (DG 222) Vacuum inlet 3"

- Continuous vacuum mechanical sap releasers

– Installed on a storage tank

– The sap is alternately dumped in, one side at a time

– Manifold heights

For 2500 taps (16.5")

For 6000 taps (22.5")

For 12 000 and 25 000 taps (26.5")

## MECHANICAL RELEASERS WITH DOUBLE SINGLE VALVES

Capacity of 3,000 taps.

**A 400896** 10" x 18" (DG-213-2VS) Vertical

Capacity of 6,000 taps.

**B 400865** 14" x 36" (DG219-2VS)

Capacity of 12,000 taps.

**406928** 18" x 36" (DG 220-2VS) Vacuum Inlet 2"

**406911** 18" x 36" (DG 220-3-2VS) Vacuum Inlet 3"

Capacity of 25,000 taps.

**406898** 18" x 48" (DG 222-2VS) Vacuum Inlet 3"

- Releasers allowing an even more constant continuous vacuum

- Allows a bigger volume of sap at a high vacuum

- Installed on a sap tank, they evacuate the sap mechanically (without pump) simply by vacuum

- Manifold heights:

- For 3,000 taps (20")

- For 6,000 taps (22.5")

- For 12,000 and 25,000 taps (26.5")



Démonstration on:  
[YouTube](#)



## C AUTOMATED MECHANICAL RELEASERS

**NEW** Capacity of 2,500 taps.

**487248** 10" x 24" (DG 213B)

**487279** 10" x 36" (DG 214B)

Capacity of 6,000 taps.

**407987** 14" x 36" (DG 219B)

Capacity of 12,000 taps.

**407970** 18" x 36" (DG 220B)

Capacity of 25,000 taps.

**407963** 18" x 48" (DG 222B)

- New generation of mechanical releasers

- Eliminates any loss of air when sap is dumped into the tank


- Sap sensors are connected to **Belimo** (5-year guarantee) valves to ensure tightness of the releaser

- Manifold heights:

- For 2,500 taps (16.5")

- For 6,000 taps (22.5")

- For 12,000 and 25,000 taps (26.5")



A



B



C



D



### COMBINED SAP RELEASERS

Capacity of 3000 taps.

**A 400438** (DG-213 / 225)

Capacity of 6000 taps.

**B 400490** (DG-219 / 227) Vacuum Inlet 2"

Capacity of 12 000 taps.

**400162** (DG-220 / 227)

**400131** (DG-220-3/227) Vacuum Inlet 3"

Capacity of 25 000 taps.

**400148** (DG-222-3/227-60) Vacuum Inlet 3"

"New generation of combo releasers"

- Mechanical/electrical releasers are built to work at 25 Hg with high vacuum

- Evacuates the releaser water in the second part without being under vacuum

- Easy to dump the sap from the releaser in the tank

- Manifold heights:

- For 3000 taps (38.5")

- For 6000, 12 000 and 25 000 taps (46")

### C COMBINED SAP RELEASERS WITH SINGLE VALVE

Capacity of 3000 taps.

**407147** (DG-213/225 - 2VS)

Capacity of 6000 taps.

**407161** (DG-219/227 - 2VS) Vacuum Inlet 2"

Capacity of 12 000 taps.

**407185** (DG-220/227 - 2VS)

**407208** (DG-220-3/227 - 2VS) Vacuum Inlet 3"

Capacity of 25 000 taps.

**400100** (DG-222-2VS/227-60) Vacuum Inlet 3"

"New generation combo releaser"

- Mechanical / electric releasers are built to work at 25 Hg and higher

- Single valve installed on each top parts

- Allows to receive a bigger volume of sap

- Improves continuous vacuum

- Evacuate the releaser water in the second part without being under vacuum

- Manifold heights:

- For 3000 taps (38.5")

- For 6000, 12 000 and 25 000 taps (46")

### D VACUUM GAUGE (LEAD-FREE)

**116261** 2.5" dia. – 0 – 30 Hg, lead-free brass..... \$16.50

**371462** 4" dia. – 0 – 30 Hg, lead-free brass..... \$30.00

**080104** 2.5" dia. – 0 – 30 Hg, stainless steel ..... \$32.00

**080128** 4" dia. – 0 – 30 Hg, stainless steel ..... \$49.50

# MOISTURE TRAPS

## A CONVENTIONAL MOISTURE TRAPS

**400773** 8" x 30" Model (Vacuum 1.5 hp)

**400827** 10" x 24" Complete Model (Vacuum 5 hp and under)

Options:

**400735** Moisture trap only

**400711** Aluminum base

**485893** Water level sensor for emergency stop

**400834** Complete 14" x 30" model (Vacuum 7.5 hp) and up

Options:

**400636** Moisture trap only

**400704** Aluminum base

**485893** Water level sensor for emergency stop

## HIGH VACUUM



## B DELUXE MOISTURE TRAPS

– Includes filtering devices for water particles

– Water level sensor to stop the pump in case of failure

**409295** Deluxe D&G 14" x 30" moisture trap for Becker pump (recommended)  
7.5 hp and more

**404108** Deluxe 10" x 24" moisture trap D&G

## D&G SAP LIFTERS WITH MANIFOLD

Single (up to 350 taps)

**C** **400582** Sap lifter with manifold (DG-555)

Double (up to 800 taps)

**D** **400599** Sap lifter with manifold (DG-555-2)

– Requires high-level vacuum (20 to 29 Hg)

– Makes it possible to collect sap from trees on sites lower than the main pumping station

– Maximum elevation drop of 15 feet

We recommend the installation of this unit in a temperate place between  
1 ° and 5 ° Celsius to avoid frost

## FDA BLUE FLAPPERS FOR RELEASERS

**E** **403156** 2" small ..... 38.00 \$

**F** **403125** 3" large ..... 53.55 \$

**G** **403187** 3" with spring and hinge (specify releaser model) ..... 92.70 \$



## Y KITS FOR SAP LIFTERS

**H** **463846** 1" in PVC including plastic check valve


**I** **463808** 1 1/2" in PVC including plastic check valve

**J** **463822** 1" in stainless steel including plastic check valve

**463761** 1 1/2" in stainless steel including plastic check valve



# PUMPS / ACCESSORIES



## A 1 PH -230 V-ODP GOULD PUMPS

Made of stainless steel. 2- and 3-stage pumps also available.

|                     |                     |
|---------------------|---------------------|
| 385001 3/4 hp – 1ST | 385049 3 hp – 1ST   |
| 385032 2 hp – 1ST   | 385025 1.5 hp – 1ST |
| 385018 1 hp – 1ST   |                     |

## B GOULD HI-PRESSURE MULTISTAGE PUMPS

125 to 350 PSI, 5 gallons and more per minute, 1/2 to 5 hp

SEE OUR IN-STORE REPRESENTATIVES FOR YOUR SPECIFIC NEEDS

## C RELEASER PENN SWITCH

|                      |         |
|----------------------|---------|
| 401923 (DG-430)..... | \$66.00 |
|----------------------|---------|

## D ELECTRIC CONTROL FOR STORAGE TANK

Starts water pump. Used to transfer sap to another tank. Volume to be transferred is also adjustable.

|                      |          |
|----------------------|----------|
| 401985 (DG-432)..... | \$237.60 |
|----------------------|----------|

OTHER ROD LENGTHS ALSO AVAILABLE

## E STAINLESS STEEL FLOAT TANK SUPPORT

|                                                                                               |         |
|-----------------------------------------------------------------------------------------------|---------|
| 402579 Stainless steel support for electrical control for storage tank<br>(See letter D)..... | \$63.90 |
|-----------------------------------------------------------------------------------------------|---------|

## F HORIZONTAL VACUUM BOOSTERS

Helps vacuum transport on long distances from the sugar bush and enhances vacuum performance in the lines.

| Without support | With support     |
|-----------------|------------------|
| 400872 6" x 12" | 358692 10" x 24" |
| 400902 6" x 18" | 358166 10" x 30" |
| 400933 6" x 24" | 358708 10" x 48" |
| 401046 3" x 24" | 358197 10" x 60" |

362217 O-ring joint for 10" booster

403453 Orange O-ring joint \$/per foot

## G INVERSE SLOPE PUMPING SYSTEM

Allows sap to flow from a remote pumping station to the main sap releaser (sugar bush). To be installed with a mechanical releaser storage tank. Enables sap to flow by gravity when the vacuum pump is shut down.

|                      |          |
|----------------------|----------|
| 403934 (DG-520)..... | \$500.40 |
|----------------------|----------|

## H AIR INJECTOR SYSTEM

Air injector system increases sap flow toward the main sap releaser. Also optimizes sap ladder operation and helps sap rise.

|                                                                           |          |
|---------------------------------------------------------------------------|----------|
| 405426 Air injector system (DG-510).....<br>(for check valves see pg. 64) | \$328.50 |
|---------------------------------------------------------------------------|----------|

## I RELEASER FLOATS



|                        |         |
|------------------------|---------|
| 402227 Small blue..... | \$44.00 |
| 402524 Large.....      | \$53.10 |

## A ANTI-FRAZIL PVC MESH

- 408144** For manifold 6" x 12"
- 408175** For manifold 6" x 27"
- 408151** For manifold 6" x 18"
- 408182** For manifold 6" x 38"
- 408168** For manifold 6" x 24"
- 401138** Other sizes available (\$/foot<sup>2</sup>)

## B SWIVELS FOR MECHANICAL SAP RELEASER

|                                    |         |
|------------------------------------|---------|
| <b>403965</b> 1 1/2"               | \$18.90 |
| <b>403996</b> 2"                   | \$21.60 |
| <b>404023</b> 3"                   | \$24.60 |
| <b>C 404733</b> Grease pack (3 ml) | \$4.50  |



## HEIGHT ADJUSTABLE RELEASER STANDS (NOT SHOWN)

- 274510** For 48" tank (set of 2)
- 274527** For 60" tank (set of 2)
- 274534** For 72" tank (set of 2)
- 274541** For 84" tank (set of 2)
- 274558** For 90" tank (set of 2)

## D HEIGHT AND LENGTH ADJUSTABLE RELEASER STANDS

|                                       |               |
|---------------------------------------|---------------|
| <b>274589</b> 3' to 5' (set of 2)     |               |
| <b>274596</b> 4' to 7 1/2' (set of 2) | .....\$204.50 |



## RELEASER STANDS (NOT SHOWN)

Made of stainless steel 18 gauge. Use to hold the pneumatic releaser above the tank.

|                                       |               |
|---------------------------------------|---------------|
| <b>274404</b> For 48" tank (set of 2) | .....\$187.20 |
| <b>274411</b> For 60" tank (set of 2) | .....\$204.50 |

OTHER SIZES AVAILABLE

## E CYLINDERS FOR RELEASERS


- 402395** Cylinder for releaser (DG-216)
- 401565** 2 1/2" cylinder for releaser (DG-213)
- 401657** 3" cylinder for releaser (DG-215,219,220)
- 401688** 4" cylinder for releaser (DG-220-3,222)



## F SEALING JOINTS

|                                         |              |
|-----------------------------------------|--------------|
| <b>403415</b> For releaser DG-213       | .....\$26.10 |
| <b>403408</b> For releaser DG-216       | .....\$19.60 |
| <b>403521</b> For releaser DG-224,224-1 | .....\$14.90 |

OTHER SETS AVAILABLE FOR ALL RELEASER MODELS



# VACUUM MONITORING SYSTEM

Easy powerful software for monitoring and complete surveillance of your Sugar bush on a tablet, computer or cell phone.

The system allows for an overview of all your sensors and pumping stations to effectively optimize the performance of your Sugar bush. The Dominion & Grimm system **requires no access to internet**.

## Features:

- Mapping of your Sugar bush
- Vacuum and leak detection sensors on each mainline with leakage and equipment malfunction warnings
- Remotely control your equipment (Vacuum pumps, sap pumps, pipe drainage, releasers and others)
- Increased sensors' battery life with a new off-season mode. Facilitates system restart at the beginning of each season.
- Metering of sap tank levels
- Integrated camera system
- History of vacuum vs temperature data
- Freeze reports
- Releaser water metering system
- And many more

**INCREASE YOUR TAP YIELD  
WITH CONTINUOUS VACUUM  
SENSORS MONITORING**

## PHONE, TABLET AND COMPUTER



Vacuum Sensor

Sap tank level

Sugar bush satellite map

Graphic of vacuum, temperature and more

## MAPPING SERVICE

### MAP OF YOUR LARGE SUGAR BUSH



### COROPLAST PRINTING

THE SIZES OF THE SUGAR BUSH MAPS ARE: 2' X 3'    3' X 5'    4' X 8'

## SUGAR BUSH MAPPING SERVICES

- GPS mapping of your site
- Tubing layout designed by an experienced team
- Tubing system installation according to your terrain and criteria (transfer tanks, wet/dry system, etc.)
- Precise evaluation of the material required
- Accurate plan of your tubing system, stations, buildings, etc.
- Map printing, after completion of your project.



**NO INTERNET  
ACCESS  
REQUIRED**

# VACUUM MONITORING SYSTEM

## D&G REMOTE MONITORING STARTING KIT

- 121654 D&G** single starter kit with mobile gateway  
**121630 D&G** double starter kit with mobile gateway

Includes:

- A** D&G server (software)  
**B** Wireless Gateway  
**C** Mobile Gateway

- D** Single vacuum wireless sensor (5x)  
 or  
**E** Double vacuum wireless sensor (5x)



**A 121258 D&G SERVER (SOFTWARE)**

- Mandatory for all setups
- At the heart of D&G's monitoring system
- Compatible with all your electronic devices (computer, tablet or smartphone)

**B 121265 WIRELESS GATEWAY**

- Sends information collected by the wireless sensors to the D&G server
- Link between the wireless network and the monitoring system

**C 121272 MOBILE GATEWAY**

- Link between a smartphone and the wireless sensors
- Simplified sensor installation
- Monitors the wireless sensors without connecting to the Web

**D 121302 SINGLE VACUUM WIRELESS SENSOR**

- Vacuum and temperature readings for **1** mainline
- 2 "D" alkaline batteries for 2 - 4 seasons of battery life
- Covers long distances in the forest
- Most advanced casing in the market

**E 121609 DOUBLE VACUUM WIRELESS SENSOR**

- Vacuum and temperature readings for **2** mainlines
- 2 "D" alkaline batteries for 2 - 4 seasons of battery life
- Covers long distances in the forest
- Most advanced casing in the market

**121548 WIRELESS TANK LEVEL SENSOR**

- Monitoring of sap levels in a tank
- 2 "D" alkaline batteries for 1 - 2 seasons of battery life
- Can read tank levels from 25 feet high

**121944 WIRELESS SENSOR FOR RELAY**

- Lets you start up to 2 pumps and other devices remotely
- 2 "D" alkaline batteries
- Covers long distances in the forest
- Most advanced casing in the market

**219573 MODULATING VALVE FOR VACUUM PUMP**

- Makes it possible to lower the vacuum of the pumps without modifications to them
- Requires a power supply and a controller sold separately

- 121876**  $\frac{1}{2}$ " Valve  
**121890**  $\frac{3}{4}$ " Valve  
**121883** 1" Valve

Please note that all prices are subject to change

**121326 INPUT-OUTPUT CONTROL BOX (NOT SHOWN)**

- Controls and monitors pumping stations

**SURVEILLANCE CAMERAS (NOT SHOWN)**


- 121142** Rotary camera  
**121234** Fixed camera



**NEW**

Visit our website: [www.dominiongrimm.ca](http://www.dominiongrimm.ca)

# VACUUM PUMPS



 **BECKER**







## A BECKER OIL-COOLED PUMP

- Oil-cooled pallet vacuum pump
- Vibration isolator
- Up to -29.5 Hg
- 3, 5, 7.5 and 10 hp models
- Direct drive shaft
- Available in all voltages
- Ultra quiet
- Stand and drive not included
- Without overheating

## B YASKAWA SMART SPEED MODULATOR

- For vacuum pump
- Smart drive kit including a temperature and vacuum probe
- Controls the vacuum level as needed
- Modulation between -15 and -29.9 Hg
- Motor start, stop and speed is adjusted according to the temperature setting
- Adjust the vacuum and temperature settings yourself
- Once the desired vacuum is reached, the speed modulator slows the motor and maintains the set level of vacuum

## BECKER CLAW VACCUM PUMP

- 100 % oil free and without contacts et sans contact
- Air-cooled
- Integrated pressure relief valve
- Air filtration known from other models is integrated as standard
- The claw technology ensures a high degree of efficiency and low power consumption
- Easy to maintain
- Available in 3 models:
  - 388651** -BCV 100 à 4,0 hp
  - 388637** -BCV 150 à 5,4 hp
  - 388668** -BCV 300 à 10,0 hp

## EDWARDS SCREW VACUUM PUMP

- Variable speed drive
- Quiet
- CFM still high at 29.9 Hg
- Available 240 V 1 PH, 575 V 3 PH et 380/460 V 3 PH

**098673** Edwards screw pump EOSi350 7.5 hp 240V 1 PH

**098703** Edwards screw pump EOSi585 10 hp 240V 1 PH

**098737** Edwards screw pump EOSi730 15 hp 240V 1 PH

**098819** Edwards screw pump EOSi900 20 hp 240V 1 PH

## A VACUUM PUMP

Industrial quality . Oil-cooled vacuum pump. These pumps include a wide range of accessories making them safe and efficient.

- Programmable start/stop
- Remote control (cellular or computer)
- Vacuum adjustment based on temperature
- Fully automated.

– Electric engine from 1.5 hp up to 20 hp

Available with Honda gas or diesel motor (NOT SHOWN)

Oiler (NOT SHOWN)

### B Moisture traps 1 1/2", 2" or 3"

**361944** 10" x 24" Moisture trap & 1.5" inlet

**363597** 10" x 24" Moisture trap & 2" inlet

**361975** 15" x 30" Moisture trap & 2" inlet

**363177** 15" x 30" Moisture trap with pen switch & 3" inlet

**363146** 15" x 30" Moisture trap with pen switch & 2" inlet


**362330** 15" x 30" Moisture trap & 3" inlet

**363627** 10" x 24" Moisture trap with pen switch & 2" inlet

Other moisture traps size available

### C "Flood" oil reclaimer

- The FLOOD oil reclaimer lets vacuum pumps operate up to 27 Hz.



## D COOLING UNIT FOR "FLOOD" OIL RECLAIMER

- Cooling unit lets vacuum pumps operate up to 27 Hz
- This system necessarily operates with the "FLOOD" oil recuperator
- The majority of oil injected into the pump is reclaimed by the "FLOOD" oil reclaimer and the cooling unit will cool down before it returns to the pump.
- Temperature control controls the radiator fan according to the oil temperature.
- This system works with all oil and water-recirculation vacuum pumps
- Fits all cold oil model pumps (De Laval, Universal, Elmira)
- Injects 2 liters of oil/minute to cool pump for maximum efficiency



## ECO-FRIENDLY OIL FOR VACUUM PUMPS (NOT SHOWN)

|                 |                                      |         |
|-----------------|--------------------------------------|---------|
| <b>361852</b>   | 3.7 L Regular vacuum oil pump.....   | \$18.60 |
| <b>363955</b>   | 3.7 L "Flood" vacuum oil pump .....  | \$20.70 |
| <b>361883</b>   | 18.9 L Regular vacuum oil pump.....  | \$78.90 |
| <b>364167</b>   | 18.9 L "Flood" vacuum oil pump ..... | \$75.60 |
| <b>372162</b>   | 18.9 L Radiator oil pump.....        | \$69.60 |
| <b>D 364815</b> | High performance flood filter.....   | \$22.50 |

## VACUUM PUMPS

# Airabio



### A VACUUM PUMP AND DRIVE FOR 800 TO 12,500 TAPS

- Vacuum over 29 Hg
- May operate with hydraulic vegetable oil
- Compact design for space sensitive installations
- 230 volts voltage (available on 3 PH voltage)
- Many sizes available

#### Includes:

- Vane pump
- Flood - Oil collector
- Speed modulating drive
- Vacuum probe with display
- Radiator
- Check-valve
- Digital thermostat
- Ball valve
- Damp trap with level controller
- Couplings and fittings (accessories can be modified on request)
- Stand (optional)

### MINI VACUUM PUMP

For sugar bushes of 800 taps and less. 8 CFM 27" Hg vacuum pump. Magnetic starter (thermostat not included). Flood Oil collector (temperature indicator not included). Damp trap. Vacuum control. Oil level gauge. Check valve (sap releaser not included). Approved system CSA

**B** 377839 D&G Vacuum pump 151 flood 3 hp Kit

363511 Gas Honda motor 5.5 hp with electric starter

**C** 378096  $\frac{3}{4}$  hp electric motor with radiator and thermostat

378041 Gas Honda motor 5.5 hp with electric starter and radiator

378072 Gas Honda motor 5.5 hp with manual starter and radiator

371431 8 CFM 1750 vacuum pump head



## VACUUM PUMPS WITH GUZZLER DIAPHRAGM

Economic models for small operations.


500 taps and less until 25" Hg

- A** 386572 Diaphragm vacuum pump, 115 volts  
1,000 taps and less
- B** 386596 Double diaphragm vacuum pump, 115 volts



## VACUUM REGULATORS

|                 |                                            |          |
|-----------------|--------------------------------------------|----------|
| <b>C</b> 401473 | Small pressure regulator (DG 312-1).....   | \$77.60  |
| <b>D</b> 401374 | Medium regulator .....                     | \$106.30 |
| <b>E</b> 362187 | Adjustable vacuum control.....             | \$119.20 |
| <b>F</b> 374685 | ¾" copper vacuum control with spring ..... | \$69.30  |
| <b>407772</b>   | 1" PVC vacuum control with spring.....     | \$133.90 |



## AUTOMATIC VACUUM CONTROL

**408427** Automatic vacuum control

Electric vacuum control, wireless remote monitoring and control for pump station

3.5" color touch panel screen (HMI)

Can manage master lines and be accessed by phone, tablet or computer



## PRESSURE WASHER

Cold water pressure washer

Pressure: 5000 psi

Flow: 5.0 gpm

TS119 1450RPM industrial pump

motor 20hp TEFC 230VOLT 3 phase (also available on 460 and 575 3 phase)

50 'hose

**Many more models available**





## ECONOMIC SERIES

**400+  
GALLONS  
ECONO**

### A R/O 400+ GPH ECONO JUNIOR, ECONOMIC SERIES

- For 1,500 - 2,500 taps
- 1 membrane 8" x 40" & 1 membrane 4" x 40"
- ½ hp feed pump
- 3 hp pressure pump
- 1 recirculating pump ¾ hp
- Low amps 22 A.
- Complete and easy to operate
- Stainless steel frame
- Wash tank
- Flow meter
- Dial thermometer
- Automatic shutoff when sap tank is empty
- Instruction panel with pictograms
- Set of 3-way valves for installation
- Stainless steel casings for membranes
- Starting at 400 gallons/hour
- Econo model available up to 20,000 taps

## ECONOMIC 1600 GALLONS SERIES



PERFORMANCE CALCULATIONS ARE BASED ON SAP  
AT 55°F, CONCENTRATED FROM 2 - 8 BRIX

### A ECONO MODEL R/O, 1600 GALLONS

- With 3 membranes, 8" x 40"
- 1 feed pump, 5 hp
- 1 (multistage) pressure pump, 7.5 hp-220V high performance
- 1 recirculation pump, 1.5 hp on the third membrane
- Digital thermometer
- Flow meters
- Stainless steel vessels for membranes
- Set of 3-way valves for installation
- Wash tank
- Automatic shutoff when sap tank is empty
- Stainless steel frame
- Instruction panel with pictures

DOMINION & GRIMM OFFERS THE POSSIBILITY TO UPGRADE TO THE PARALLEL SERIES FOR THIS MODEL

# LX SERIES

*LX-1600 MODEL*

## YOU DESERVE STAINLESS STEEL

10 new models of R/O,  
400 to 3000 GPH

All made of Stainless-  
Steel including pipes  
and butterfly valves

Sequential pump start

Digital Temperature  
indicator

Each membrane has its  
own flow-meter and sampler.



### LX SERIES

For 5000 to 20 000 taps

- Simplified timer 0 - 60 minutes
- High temperature indicator light
- Pump motor overload warning light
- The filtrate, concentrate and drain outlets are equipped with NTP adapters
- An air purge tank is installed on each model
- The 600 and more models are equipped with a 3-cartridge RAM filter except for the 3000 and 3000-B2 models which have a 7-cartridge RAM filter.
- Complete and easy to operate
- Stainless steel frame
- Wash tank
- Flow meter
- Automatic shutoff when sap tank is empty
- Instruction panel with pictograms
- Set of 3-way valves for installation
- Stainless steel casings for membranes

### Horizontal version



# Prestige Ram Edition




FULL AUTOMATED "PRESTIGE" R/O RAM EDITION  
WITH 1000 GALLONS HIGH BRIX

## AUTOMATED CONTROL OF BRIX DEGREE

### A FULL AUTOMATIC 600 GPH / 1000 GPH R/O

- 600 GPH or 1000 GPH models
- High Brix R/O (over 20 Brix)
- Full automatic model
- Daily schedule programmable to save labor
- No labor required after R/O started
- 6 choices sequences to program the automate
- Remote start (option)
- The full automatic R/O can manage your tank by mobile, tablet, or computer (option)
- Automatic soap injection
- Multi-stage pump 7.5 hp stainless steel
- Recirculation pump 3 hp stainless steel
- 3 stainless steel RAM filter cartridges

D&G, PIONEERS IN THE FIELD OF OSMOSIS AUTOMATION WITH  
MORE THAN 10 YEARS OF EXPERIENCE.




### SCHNEIDER TOUCHSCREEN INTERFACE

- D&G R/O systems with touchscreen control: advanced technology
- Choose the selected mode on the screen and the machine will start in that mode
- Schedule 1 day without adjusting or making changes to the manual cycle
- Requires no labor after it is started
- 2 automation versions available
  - Advanced automation 2021
  - Advanced automation PLATINUM 2021

# Prestige Ram Edition

**12  
MEMBRANES**



## FULLY AUTOMATED RAM PLATINUM

The only truly automated and flexible reverse osmosis.

- Programmable cycle sequence. 10 different programmable and flexible sequences each comprising 14 cycles.
- Stop, start and arrangement of cycles according to the conditions set by the operator
- Model with high concentration (20 Brix and more) available
- User-friendly and intuitive Schneider touchscreen on mobile console.
- Autonomous, no connection to external servers required
- Remote access to all device functions and controls (PLC)
- Platinum model available with 1 to 28 membranes
- All impellers are made of stainless steel
- Feed pump in stainless steel, 7.5 hp
- Stainless steel vessels
- Stainless steel plumbing
- All electrical and automation components are from Schneider
- Available in 4 models:
  - 1 – Full automatic Platinum
  - 2 – Full automatic
  - 3 – Semi-automatic
  - 4 – Standard

QR or Click  
**TO LEARN MORE**



## 12 MEMBRANES FULLY AUTOMATED RAM PLATINUM

- 4 Stainless steel housings for 3 membranes, 8" x 40"
- 4 High-pressure pumps in stainless steel, 7.5 hp
- Feed pump in stainless steel, 7.5 hp
- Most efficient on the market (150 Amps / 220 Volts)



Schneider 15" touchscreen  
on mobile console for the  
RAM Paltinum model

**NEW**

# Mountain 2.0



**HIGHEST PERFORMANCE IN THE INDUSTRY  
ALSO AVAILABLE FULLY AUTOMATED**



## OSMOSIS, 28 MEMBRANES


- 3 x 10 hp feed pumps with variable speed "drive" starter
- 6 x 10 hp pressure pumps with variable speed "drive" starter
- 6 recirculation pumps 5 hp
- 3 cylinders 8' x 80"
- 3 recirculation pumps 3 hp
- 6 filters with 7 cartridges per filter
- 4 recirculating pumps 1  $\frac{1}{2}$  hp
- TDS reader (conductivity of permeate)
- Brix reader 0 - 33 Brix
- Concentrate to 25 Brix and more
- Entirely made of 304 stainless steel

**THE MOUNTAIN MODEL  
IS AVAILABLE WITH  
2, 3 OR 4 PUMPS.  
CONTACT YOUR REP.  
FOR MORE INFORMATION**

# PH NEUTRALIZATION SYSTEM

WASH WATER  
NEUTRALIZATION  
SYSTEM

DO YOUR PART FOR  
THE ENVIRONMENT



This system provides reliable, flexible, and powerful control for the treatment of wastewater discharged from reverse OSMOSIS. No matter the manufacturer or the model

Allows the neutralization of washing water pH before its release into the environment

Smart control box with easy-to-use touchscreen

Remote management and real-time data consultation

Data recording of all sensors allowing the creation of tables and graphs. Transferable to USB key. Useful for providing reports required by environmental authorities.

Integrated management on automated D&G Osmosis

Piping entirely in stainless steel

Completely autonomous


Complètement autonome



Reverse osmosis mode  
Permeate  
Drain

Wastewater  
Wash mode

To sewage field  
PH is neutralized



Retention tank

QR or Click

LEARN MORE




**A**

## **SPORTSMAN 80 - 160 GPH**

Ideal to cut in half your volume of maple water to evaporate. For 800 taps and less.



- 1 diaphragm pump ( $\frac{1}{2}$  hp)

**295003** Sportsman 80 GPH

- 1 membrane (4")

**A 294969** Sportsman 160 GPH

- 2 membranes ("4")


**B**

**D**

**C**

## **B BRIX CONTROL MODULE FOR OSMOSIS**

The Brix controller for osmosis allows you to manage the Brix concentration of your osmosis. Making it possible to maintain a constant Brix level

- Suitable for all conventional osmosis regardless of the brand
- Continuous reading of the sugar level with permanent display
- Allows high data accuracy and time savings
- No manual sampling required
- Can be managed remotely with a smartphone, computer or tablet (option)
- Suitable for all brands of conventional osmosis
- Schneider PLC

## **C ATAGO REFRACTOMETER 0-33 BRIX**

**126543** Atago refractometer - CM-BASE (A) - 0 - 33 Brix

## **D AUTOMATED VALVES FOR TANK**

- Full automatic R/O can manage your sap tank and permeate tank
- The computer manages the electric valves of your tank with sap level detector
- Butterfly valves of 1.5" to 3"

## **E EXPANSION KIT FOR R/O**

**292071** Econo Expansion kit with 1.5 hp recirculation pump. Also available with 3 hp recirculation pump

**SEDIMENT STRAINER****A 131356** Y shaped 2" sediment strainer**B 131370** Y shaped 4" sediment strainer

– Entirely made of stainless steel

– 1.5" and 3" adapters available

**B****NEW****C MEMBRANES HYDRANAUTICS, ESPA4-LD****485237** 4" x 40" Membrane**360404** 8" x 40" Membrane

High-speed membranes designed to concentrate high Brix.

**H YDRANAUTICS**  
Nitto Group Company**C****D****E****F MAPLE SAP FILTER CARTRIDGES**

SPECIAL PRICE (FULL CASE)

**485077** 2 x 10, Purtrex 5 microns (box of 40) ..... \$2.70**485091** 2 x 20, Purtrex 5 microns (box of 20) ..... \$4.70**485138** 2 x 20, Purtrex 10 microns (box of 20) ..... \$4.70**485121** 2 x 20, Purtrex 75 microns (box of 20) ..... \$4.70**367465** Cartridge union 2" for sap ..... \$13.50**367311** Gasket for 2 X 20 cartridge case ..... \$5.40**F****G BAGS FOR SAP FILTER - 50 - 100 MICRONS****487651** 8" x 17", 50 microns ..... \$7.40**487613** 8" x 30", 50 microns ..... \$11.30**487774** With rope 8" x 17", 25 microns ..... \$7.00**487798** With rope 8" x 30", 25 microns ..... \$12.40**H 487637** Bag holder ..... \$40.60**G****H**


**A**

**B**

**C**

**D**

**E**

**F**

**I**

**J**

**G**

**H**

## MEMBRANE CLEANING PRODUCTS

### FILMTEC (E8) - HYDRANAUTICS (ESPA4-LD)

- A** 477737 ALKALINE powder detergent - Blue label (2 kg) .....\$38.10
- 477782 ALKALINE powder detergent - Blue label (20 kg) .....\$187.30
  
- B** 361449 Bio Perm - Suitable for organic production (4 liters).....\$36.20
- C** 361418 Sanitizing Oxisan - peracetic acid (4 liters) .....\$63.10
- D** 478055 Acid cleaner in powder, Acide-osmose (2 kg).....\$57.60
- E** 477812 ALKALINE liquid detergent for membrane hydranautics (4 liters) ... \$50.20
- F** 472718 Pearl caustic cleaner (2 kg).....\$38.10
- 478277 Pearl caustic cleaner (20 kg).....\$187.30
- G** 478222 Ecogel ACS (4 liters) **CLEARANCE**.....\$27.00
- H** 477751 Anti-bacteria, for storage, for membrane (1 kg S.M.B.S.) .....\$20.00
- I** 359453 Glycol concentrated food antifreeze (4 liters) .....\$42.70
- 359033 Glycol concentrated food antifreeze (20 liters).....\$141.00

## J PH TEST STRIPS

Checking PH of your washing solution.

- 133381 PH test strip (set of 10) .....\$13.10

## SPECIAL VOLUME DISCOUNT

DOMINION & GRIMM  $\frac{5}{16}$ " TUBING**These items have 10 years limited warranties.**459627 Semi-stiff tubing 55X, RL 500', transparent blue **NEW**

456435 Semi-stiff tubing 70X, RL 500', blue

459122 Semi-stiff tubing 71X, RL 500' medium blue

456480 Semi-stiff tubing 75X, RL 500', transparent blue

456442 Semi-stiff tubing 80X, RL 500', blue

459146 Semi-stiff tubing 81X, RL 500', medium blue

A 458668 Semi-stiff tubing 85X, RL 500', transparent blue


B 458682 Semi-stiff tubing 73X RL 500', blue Duraflex

454790 Semi-stiff tubing 86 UL RL 500', light green

C 459108 Semi-stiff tubing 86X, RL 500', light green

454875 Semi-stiff tubing 81 UL RL 500', medium blue

469145 Semi-stiff tubing 88X, RL 500", grey

 $\frac{5}{16}$ " SEMI-STIFF TUBING (THICK WALL), HW**These item has 15 years limited warranty.**

466489 Semi-stiff tubing 95X HW, RL 500', transparent blue

**These items have 10 years limited warranties.**

D 469176 Semi-stiff tubing 88X HW, RL 500' grey

467677 Semi-stiff tubing 86X HW, RL 500', light green

E 454929 Semi-stiff tubing 85X HW, RL 500', transparent blue

454912 Semi-stiff tubing 83X HW, RL 500', transparent blue

467608 Semi-stiff tubing 80X HW, RL 500', blue

466465 Semi-stiff tubing 73X HW, RL 500', blue Duraflex

466502 Semi-stiff tubing 70X HW, RL 500', transparent blue


 $\frac{3}{16}$ " SEMI-STIFF TUBINGF 454844 Semi-stiff tubing 31 X  $\frac{3}{16}$ ", RL 500', blueG 454783 Semi-stiff tubing 32 X  $\frac{3}{16}$ ", RL 500', light green

## H DOMINION &amp; GRIMM PRE-CUT DROP LINES


| COLOR             | 32"          | 36"    | 40"    | 42"    |        |
|-------------------|--------------|--------|--------|--------|--------|
| REGULAR           | 5/16" TUBING |        |        |        |        |
| Duraflex Blue     | 73x          |        |        |        | 454660 |
| Transparent blue  | 75x          |        | 458781 |        |        |
| Bleu translucide  | 85x          |        | 458774 | 462641 |        |
| Transparent green | 86x          |        | 461392 |        |        |
| HEAVY WALL        | 5/16" TUBING |        |        |        |        |
| Transparent blue  | 75x HW       | 467653 | 466441 | 462603 |        |
| Transparent blue  | 85x HW       |        | 466526 |        |        |
| Transparent green | 86x HW       |        | 454646 |        |        |
| ULTRA LIGHT       | 5/16" TUBING |        |        |        |        |
| Medium blue       | 81UL         |        | 467509 |        |        |
| REGULAR           | 3/16" TUBING |        |        |        |        |
| Duraflex blue     |              | 467530 |        |        |        |
| Duraflex green    |              | 467547 |        |        |        |

OTHER DROP LINES CATEGORIES AND LENGTHS AVAILABLE ON REQUEST  
MINIMUM QUANTITY OF 10,000

DROP LINE  
PRE-ASSEMBLED  
AVAILABLE ON REQUEST



# TUBING



A


**SUPERIOR QUALITY**



B




C



D

E



F

G



H

## A BLUE MAINLINE

Food grade approved, transparent blue (\$/foot)

- 458484 100 lb  $\frac{1}{2}$ ", 500'
- 455674 100 lb  $\frac{3}{4}$ ", 500'/2500'
- 455698 **120** lb 1", 500'/1000'/2000'
- 456541 100 lb 1  $\frac{1}{4}$ ", 500'/1000'
- 456947 100 lb 1  $\frac{1}{2}$ ", 250'/900'
- 457005 100 lb 2", 500'

## B BLACK MAINLINE TUBING

Food grade approved (\$/foot)

- 455711 100 lb  $\frac{1}{2}$ ", 400'
- 455759 100 lb  $\frac{3}{4}$ ", 500'/2500'
- 455797 **120** lb 1", 500'/1000'/2000'
- 455834 100 lb 1  $\frac{1}{4}$ ", 300'/1000'
- 455872 100 lb 1  $\frac{1}{2}$ ", 250'/900'
- 455919 100 lb 2", 500'

## C LASHED TUBING

Food grade approved , (\$/foot)

| BLACK                                  | BLUE                                          |
|----------------------------------------|-----------------------------------------------|
| 456121 100 lb $\frac{3}{4}$ ", 2500'   | 454936 100 lb 1", 2000'                       |
| 456145 <b>120</b> lb 1", 2000'         | 454950 <b>120</b> lb 1 $\frac{1}{4}$ ", 1000' |
| 456169 100 lb 1 $\frac{1}{4}$ ", 1000' | 454745 100 lb 1 $\frac{1}{2}$ ", 900'         |
| 468995 100 lb 1 $\frac{1}{2}$ ", 900'  |                                               |

## D TENSION GRIPS FOR MAINLINE

|                                             |         |
|---------------------------------------------|---------|
| 104893 1" tension grip.....                 | \$23.20 |
| 104909 1 $\frac{1}{4}$ " tension grip ..... | \$27.00 |
| 104916 1 $\frac{1}{2}$ " tension grip ..... | \$27.90 |
| 104923 2" tension grip .....                | \$45.50 |

## E CEDAR PICKETS

|                                     |         |
|-------------------------------------|---------|
| 023361 2 x 2, 6' (packs of 9) ..... | \$22.70 |
| 023378 2 x 2, 8' (packs of 9) ..... | \$3030  |

OTHER LENGTHS AVAILABLE UPON REQUEST

## FEET FOR PICKETS

|                                                              |        |
|--------------------------------------------------------------|--------|
| F 023323 Picket foot (round) 2" x 2" .....                   | \$1.80 |
| G 023316 Picket foot (square) 2" x 3" <b>CLEARANCE</b> ..... | \$0.77 |

## H FOAM FOR MAINLINE

|                                              |         |
|----------------------------------------------|---------|
| 480102 1" foam (24/pack) .....               | \$34.10 |
| 480249 1 $\frac{1}{4}$ " foam (12/pack)..... | \$22.80 |
| 480164 1 $\frac{1}{2}$ " foam (12/pack)..... | \$27.10 |
| 480188 2" foam (10/pack) .....               | \$27.10 |

## TUBES FUSION

- Process to combine tubes and fittings
- Fusion bonding of endings

### Advantages:

- Eliminates leaks
- Protects tubing by creating a shell against the weather
- Increased output and performance
- Saves time and money on labor



### A HIGH DENSITY BLACK POLYETHYLENE MAINLINE TUBING (ELECTROFUSION)

|                                           |                                          |
|-------------------------------------------|------------------------------------------|
| <b>467691</b> 1" black, 500'              | <b>469053</b> 1 1/2" blue , 500'         |
| <b>469008</b> 1 1/4" black, 500'          | <b>469060</b> 1 1/2" blue (spool), 3500' |
| <b>469015</b> 1 1/4" black (spool), 4000' | <b>469077</b> 2" blue, 500'              |
| <b>466403</b> 1 1/2" black, 500'          | <b>469084</b> 2" blue (spool), 2000'     |
| <b>467561</b> 1 1/2" black (spool), 3500' |                                          |
| <b>466410</b> 2", 500'                    |                                          |
| <b>467585</b> 2" black (spool), 2000'     |                                          |
| <b>467592</b> 3" black (spool), 800'      |                                          |

### FITTINGS FOR MAINLINE (ELECTROFUSION)

#### B SADDLES

|                           |
|---------------------------|
| <b>467752</b> 1 1/2" X 1" |
| <b>467769</b> 2" X 1"     |
| <b>468933</b> 3" X 1"     |
| <b>468940</b> 3" X 1 1/4" |

#### C COUPLERS

|                      |
|----------------------|
| <b>467721</b> 1"     |
| <b>467738</b> 1 1/2" |
| <b>467745</b> 2"     |
| <b>468926</b> 3"     |

#### TE FUSION

|                            |
|----------------------------|
| <b>468834</b> 1" TE fusion |
|----------------------------|

OTHER SIZES AND FITTINGS AVAILABLE

## FUSION



### 8 easy electrofusion steps:


- After flattening them, align the ends of the tubes
- Set the welding by adjusting the heat
- Melt the material by joining the ends
- Prepare the tubing surface for better adhesion of the fusion and electrofusion fittings
- Screw the saddle on the tube (B)

- Insert the coupler on the saddle (C)
- Activate fusion using the scanner (D)
- Let the fusion cool down

### Demonstration on:



ALL YOUR POLYETHYLENE TUBING IS FUSIBLE  
WITH ALL TYPES OF FITTINGS ON THE MARKET



### ELECTROFUSION UNIT PURCHASE OR LOCATION

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### NYLON

Compatible with all t-plugs from major manufacturers



**NEW**



**NEW**



**NEW**

**511387**  $\frac{5}{16}$ " spout, blue .....\$0.23

**511356**  $\frac{5}{16}$ " spout, black .....\$0.23

**511363**  $\frac{5}{16}$ " spout, white .....\$0.23



**474255**  $\frac{5}{16}$ " spout, blue .....\$0.23

**508882**  $\frac{3}{16}$ " -  $\frac{5}{16}$ " spout, blue.....\$0.23



**474279**  $\frac{5}{16}$ " spout, black .....\$0.23

**508899**  $\frac{3}{16}$ " -  $\frac{5}{16}$ " spout, black .....\$0.23

**474262**  $\frac{7}{16}$ " spout, black .....\$0.33



**510397**  $\frac{5}{16}$ " spout,white .....\$0.23



**510304**  $\frac{5}{16}$ " 110° nylon spout, blue .....\$0.21



**476266**  $\frac{5}{16}$ " 110° spout, black.....\$0.21



**510380**  $\frac{5}{16}$ " 110° nylon spout,white ....\$0.21



**508806**  $\frac{5}{16}$ " -  $\frac{1}{4}$ " spout, blue.....\$0.23

**508844**  $\frac{3}{16}$ " -  $\frac{1}{4}$ " spout, blue.....\$0.23



**508813**  $\frac{5}{16}$ " -  $\frac{1}{4}$ " spout, black.....\$0.23

**508851**  $\frac{3}{16}$ " -  $\frac{1}{4}$ " spout, black.....\$0.23



**508837**  $\frac{5}{16}$ " -  $\frac{1}{4}$ " spout, white.....\$0.23



**474200**  $\frac{7}{16}$ " short spout, blue .....\$0.24



**474316**  $\frac{7}{16}$ " short spout, black.....\$0.24

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### NOVO POLYCARBONATE SPOUTS



465932  $\frac{5}{16}$ " disposable spout,  
clear D&G .....\$0.23



509056  $\frac{3}{16}$ " disposable spout,  
clear .....\$0.23



510366  $\frac{5}{16}$ " 110° disposable thin  
wall spout, translucent blue  
.....\$0.20



511394  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, purple  
.....\$0.21



511417  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, blue...  
.....\$0.21



511400  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, green  
.....\$0.21



476181  $\frac{5}{16}$ " 110° disposable  
polycarbonate . spout, clear  
.....\$0.21

### PINK



511820  $\frac{5}{16}$ " -  $\frac{5}{16}$ " spout, pink \$0.23

To the benefit of:



FOR EACH SPOUT SOLD,  
D&G WILL GIVE BACK \$0.01 TO THE  
QUEBEC BREAST CANCER FOUNDATION



511837  $\frac{5}{16}$ " -  $\frac{1}{4}$ " spout, pink . \$0.23

### REDUCERS



465628  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, black ..... \$0.23  
465703  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, clear ..... \$0.23  
465697  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, blue ..... \$0.23



474408  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, black ..... \$0.23



465604  $\frac{7}{16}$ " -  $\frac{5}{16}$ " disposable polycarbonate  
spout reducer, clear.....\$0.22



474286  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, blue..... \$0.23



510403  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, white ..... \$0.23

# TUBING FITTINGS

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

5/16" - 3/16" T-PLUGS



**510649** 5/16" long T-plug,  
black ..... \$0.37



**510670** 5/16" short female  
T-plug, black ..... \$0.27



**511349** 5/16" T-plug, with enlarged  
gas chamber, black .....  
\$0.38



**510656** 5/16" T-plug, compatible with  
CDL's spouts, black ..... \$0.27



**508929** 3/16" universal T-plug,  
black ..... \$0.29



**511325** 5/16" blocked on left long  
T-plug, green ..... \$0.39



**510441** 5/16" - 5/16" - 3/16"  
T-plug cap, black ..... \$0.29



**508905** 3/16" long T-plug,  
black ..... \$0.28

**510809** 3/16" - 3/16" - 5/16"  
T-plug, black D&G .... \$0.29

**511332** 5/16" blocked on right long  
T-plug, green ..... \$0.39

**479205** 3/16" blocked on left long  
T-plug, green ..... \$0.39

**510601** 3/16" - 3/16" blocked long  
T-plug, green ..... \$0.30

**479212** 3/16" blocked on right long  
T-plug, green ..... \$0.39



**476235** 5/16" manifold with fixed  
head, black ..... \$2.15  
- 31/64" drilling

**465758** 3/16" manifold with fixed  
head, black ..... \$2.15  
- 31/64" drilling

**NEW**

## MANIFOLDS



### EXCEPTIONAL SEAL

**510861** Manifold D&G 5/16" (not  
assembled) ..... \$1.43

Including:

**389764** Manifold, D&G 5/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw  
- 31/64" drilling



### EXCEPTIONAL SEAL

**510854** Manifold D&G 3/16" (not  
assembled) ..... \$1.43

Including:

**389795** Manifold, D&G 3/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw  
- 31/64" drilling

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### END OF LINE ELBOW HOOKS



**510977**  $\frac{5}{16}$ " end of line elbow hook, black .....\$0.48



**510663**  $\frac{5}{16}$ " long elbow hook, black .....\$0.48



**479120**  $\frac{3}{16}$ " long elbow hook, black .....\$0.46



**479113**  $\frac{3}{16}$ " long end of line elbow hook, black .....\$0.47

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### UNIONS



**510786**  $\frac{5}{16}$ " union with eyelet, black .....\$0.22



**510779**  $\frac{5}{16}$ " union with hook, black .....\$0.22



**510793**  $\frac{5}{16}$ " union, black .....\$0.22



**465321**  $\frac{3}{16}$ " union with hook, black D&G.....\$0.22



**510908**  $\frac{5}{16}$ " -  $\frac{3}{16}$ " union reducer with hook, black .....\$0.22

## VARIOUS



**510328**  $\frac{5}{16}$ " antibacterial reservoir for alcohol sterilization.....\$0.27



**509032**  $\frac{5}{16}$ " 2SP end of line elbow hook, black .....\$0.27



**463617**  $\frac{5}{16}$ " 6-way star fitting, black.....\$2.34



**509049**  $\frac{3}{16}$ " 2SP end of line elbow hook, black .....\$0.27



**463495**  $\frac{5}{16}$ " "Y", black .....\$0.34



**465987**  $\frac{5}{16}$ " loop with pin, black .....\$0.23

# TUBING FITTINGS



**474170**  $\frac{5}{16}$ " spout, black..... \$0.33



**500831**  $\frac{5}{16}$ " T-plug cap, black ..... \$0.38



**501562**  $\frac{5}{16}$ " universal T-plug, (2 stages), black..... \$0.30



**500763**  $\frac{5}{16}$ " cap..... \$0.26


## MANIFOLDS



**465635**  $\frac{31}{64}$ " single manifold without loop.....\$2.15



**465284**  $\frac{5}{16}$ " WML union with hook .....0,24\$



**511011** Sealer cap for mainline (2pieces)..... \$0.94



**463600**  $\frac{31}{64}$ " WML fixed head manifold kit..... \$2.33

**465611**  $\frac{31}{64}$ " double manifold without loop.....\$2.15

**465970** Fastener for universal manifold .. \$0.22

## ADAPTORS



**476136**  $\frac{5}{16}$ " straight disposable spout, clear..... \$0.15



**476198**  $\frac{5}{16}$ " -  $\frac{1}{4}$ " disposable polycarbonate adaptor, clear ..... \$0.20



**510717**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " thin-walled polycarbonate adaptor, clear ..... \$0.23



**510700**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " thin-walled polycarbonate adaptor, transparent blue ..... \$0.23

**465703**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " disposable adaptor, clear .....\$0.22

## SLIDING FITTINGS



**006579** Sliding hook fitting..... \$0.29



**006609**  $\frac{5}{16}$ " sliding coupler..... \$0.52



**006623**  $\frac{3}{16}$ " WML sliding fitting ..... \$0.43



**510359**  $\frac{19}{64}$ " Du-Eau spout, blue ..... \$0.25

**474156**  $\frac{19}{64}$ " Du-Eau spout, black ..... \$0.25

**510694**  $\frac{1}{4}$ " Du-Eau spout, black ..... \$0.25

**510885**  $\frac{1}{4}$ " Du-Eau spout, blue ..... \$0.25

## SPOUT REDUCERS



**510045**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " disposable spout reducer, clear ..... \$0.20



**510434**  $\frac{1}{4}$ " spout reducer, clear ..... \$0.22

### CLEARANCE



**510427**  $\frac{1}{4}$ " spout reducer, transparent blue .. \$0.21

## MANIFOLD KIT



**463693**  $\frac{3}{4}$ " single manifold kit..... \$1.97

**463716** 1" single manifold kit..... \$1.97


**510199**  $\frac{5}{16}$ " saddle, black ..... \$0.77

**510168**  $\frac{3}{4}$ " saddle, black.....\$0.80

**463730** 1  $\frac{1}{4}$ " single manifold kit..... \$1.86



# WIRES | VALVES



## A GALVANIZED WIRE, QUALITY N° 1

|        |                                               |         |
|--------|-----------------------------------------------|---------|
| 480010 | Nº 6, 150 lb, 500' (on request) .....         | \$59.40 |
| 480379 | Nº 9, 50 lb, 900' .....                       | \$71.40 |
| 480355 | Nº 12, 50 lb, 1735' .....                     | \$67.30 |
| 480256 | Nº 14, 50 lb, 2900' .....                     | \$70.50 |
| 480324 | Nº 10, 50 lb, 1100' approx. high density..... | \$70.50 |
| 480003 | Nº 8, 65 lb, 1000' high density.....          | \$93.90 |

## B SPLICES

|        |                            |        |
|--------|----------------------------|--------|
| 466151 | Set of 2.....              | \$3.30 |
| 466205 | Set of 2 for #8 wire ..... | \$3.30 |
| 466168 | Set of 2 for #10 wire..... | \$3.40 |

## C BALL VALVES

|        |              |         |
|--------|--------------|---------|
| 044663 | 1/2" .....   | \$12.90 |
| 044694 | 3/4".....    | \$16.90 |
| 044724 | 1" .....     | \$27.00 |
| 044755 | 1 1/4".....  | \$34.70 |
| 044786 | 1 1/2" ..... | \$49.60 |
| 044816 | 2" .....     | \$71.10 |

## D GALVANIZED 16GA TWISTING CLIPS, ROLL OF 2500

|        |                        |          |
|--------|------------------------|----------|
| 479977 | 10", 2" mainline ..... | \$92.20  |
| 479960 | 14", 3" mainline ..... | \$120.80 |

## GALVANIZED 18GA TWISTING CLIPS, ROLL OF 2500

|        |                           |         |
|--------|---------------------------|---------|
| 480348 | 4", 1/2" mainline .....   | \$30.00 |
| 480133 | 5", 3/4" mainline .....   | \$34.20 |
| 480157 | 6", 1" mainline .....     | \$36.60 |
| 480171 | 7", 1 1/4" mainline ..... | \$43.30 |
| 480195 | 8", 1 1/2" mainline.....  | \$47.50 |
| 480218 | 10", 2" mainline .....    | \$55.80 |
| 480225 | 12", 3" mainline .....    | \$64.90 |
| 480232 | 14", 3" mainline .....    | \$73.20 |

## TWISTERS

|          |                            |         |
|----------|----------------------------|---------|
| E 475078 | Hand twister.....          | \$6.60  |
| F 475115 | Red automatic twister..... | \$28.10 |

## LARGE GRIPPLE-JOINER - NO° 6, 9, 12 AND 14 GAUGE

**GRIPPLE**

Maximum sustained load: 1200 lb

|          |                                           |          |
|----------|-------------------------------------------|----------|
| G 480430 | Tensioning tool for gripples .....        | \$115.20 |
| H 466267 | More large gripple (10 - 7.5 gauges)..... | \$3.65   |



| STAINLESS STEEL LONG NIPPLES             | STAINLESS STEEL SHORT NIPPLES                          | STAINLESS STEEL MAPLE SCREW ADAPTORS                         |
|------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------|
| 465055 $\frac{3}{4}$ " x 4" .....\$5.67  | 466533 $\frac{1}{2}$ " x $2\frac{3}{4}$ " .....\$5.67  | 466892 $\frac{1}{2}$ " x $1\frac{1}{2}$ " .....\$15.84       |
| 465086 $\frac{3}{4}$ " x 5" .....\$6.66  | 465031 $\frac{3}{4}$ " x $2\frac{3}{4}$ " .....\$5.45  | 467059 $1\frac{1}{4}$ " m x 1" insert.....\$21.74            |
| 464959 1" x 4" .....\$6.53               | 464850 1" x $2\frac{3}{4}$ " .....\$6.66               | 467097 $1\frac{1}{4}$ " m x $1\frac{1}{2}$ " insert \$23.31  |
| 466540 1" x 5" .....\$7.79               | 464911 $1\frac{1}{4}$ " x $2\frac{3}{4}$ " .....\$7.47 | 467110 $1\frac{1}{2}$ " m x 1" insert.....\$23.85            |
| 464935 $1\frac{1}{4}$ " x 4" .....\$6.66 | 464874 $1\frac{1}{2}$ " x $2\frac{3}{4}$ " .....\$8.01 | 467172 $1\frac{1}{2}$ " x 2" .....\$23.85                    |
| 464942 $1\frac{1}{4}$ " x 6" .....\$9.18 | 464973 2" x $2\frac{3}{4}$ " .....\$12.60              | 467219 2" x 2" .....\$26.46                                  |
| 464898 $1\frac{1}{2}$ " x 4" .....\$6.89 |                                                        | 467158 $1\frac{1}{2}$ " m x $1\frac{1}{2}$ " insert. \$21.15 |
| 465017 2" x 4" .....\$13.77              |                                                        | 409004 3" x 3" .....\$75.29                                  |
| 464980 2" x 6" .....\$17.24              |                                                        | 466991 1" m x $3\frac{1}{4}$ " insert.....\$21.47            |



| STAINLESS STEEL REDUCERS                                | STAINLESS STEEL "T"                                                     | STAINLESS STEEL "Y"                                                     | STAINLESS STEEL "Y" REDUCER                                               |
|---------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|
| 464799 1" x $\frac{3}{4}$ " .....\$13.73                | 050039 $\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{3}{4}$ " .....\$24.30 | 466595 $\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{3}{4}$ " .....\$23.85 | 466601 1" x $\frac{3}{4}$ " x $\frac{3}{4}$ " .....\$37.04                |
| 464775 $1\frac{1}{4}$ " x $\frac{3}{4}$ " .....\$14.81  | 466809 1" x 1" x $\frac{3}{4}$ " .....\$24.30                           | 466632 1" x 1" x 1" .....\$28.08                                        | 466618 1" x 1" x $\frac{3}{4}$ " .....\$27.54                             |
| 464751 $1\frac{1}{4}$ " x 1" .....\$15.84               | 050022 $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x $1\frac{1}{4}$ " ..\$24.30 | 466694 $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x $1\frac{1}{4}$ " ..\$28.58 | 466656 $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x $\frac{3}{4}$ " .....\$29.66 |
| 464737 $1\frac{1}{2}$ " x $\frac{3}{4}$ " .....\$17.24  | 050046 $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x $1\frac{1}{2}$ " ..\$26.46 | 466779 $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x $1\frac{1}{2}$ " . \$32.36 | 466625 $1\frac{1}{4}$ " x 1" x 1" .....\$40.28                            |
| 464829 $1\frac{1}{2}$ " x 1" .....\$18.32               | 466687 $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x 1".....\$26.46             | 466854 2" x 2" x 2" .....\$42.39                                        | 466670 $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x 1" .....\$31.77              |
| 464713 $1\frac{1}{2}$ " x $1\frac{1}{4}$ " .....\$16.43 | 466786 $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x 1" .....\$25.43            |                                                                         | 466731 $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x 1" .....\$31.91              |
| 466878 2" x 1" .....\$26.82                             | 050060 2" x 2" x 2" .....\$32.81                                        |                                                                         | 466755 $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x $1\frac{1}{4}$ " ..\$28.53   |
| 464836 2" x $1\frac{1}{4}$ " .....\$26.46               |                                                                         |                                                                         | 466793 2" x 2" x 1" .....\$33.89                                          |
| 464812 2" x $1\frac{1}{2}$ " .....\$24.93               |                                                                         |                                                                         |                                                                           |
| 481390 3" x 2" .....\$53.82                             |                                                                         |                                                                         |                                                                           |



**TRIDON**►



#### ROBUST HOSE CLAMPS

|                                     |
|-------------------------------------|
| 104855 1" .....\$1.84               |
| 104862 $1\frac{1}{4}$ " .....\$1.93 |
| 104879 $1\frac{1}{2}$ " .....\$2.75 |
| 104886 2" .....\$2.94               |

#### REGULAR HOSE CLAMPS

|                                          |
|------------------------------------------|
| 104343 H-12 $\frac{3}{4}$ " .....\$0.44  |
| 104374 H-16 1" .....\$0.44               |
| 104404 H-20 $1\frac{1}{4}$ " .....\$0.50 |
| 104435 H-24 $1\frac{1}{2}$ " .....\$0.50 |
| 104466 H-32 2" .....\$0.50               |

#### STAINLESS STEEL HOSE CLAMPS

|                                          |
|------------------------------------------|
| 104527 H-12 $\frac{3}{4}$ " .....\$0.58  |
| 104589 H-16 1" .....\$0.61               |
| 104640 H-20 $1\frac{1}{4}$ " .....\$0.64 |
| 104701 H-24 $1\frac{1}{2}$ " .....\$0.78 |
| 104763 H-32 2" .....\$0.92               |

#### QUICK COUPLING INSERTION WITH HOSE AND MILK CLAMPS (HD)

|                                      |
|--------------------------------------|
| 480881 $\frac{3}{4}$ " .....\$48.74  |
| 480805 1" .....\$49.77               |
| 480898 $1\frac{1}{4}$ " .....\$51.89 |
| 476846 $1\frac{1}{2}$ " .....\$63.59 |
| 476877 2" .....\$74.21               |

OTHER COMBINATIONS OF FITTINGS  
WITH MILK AND HOSE CLAMPS AVAILABLE

Please note that all prices are subject to change



#### BREEZE CLAMPS

|         |                  |                      |
|---------|------------------|----------------------|
| Regular | Sizes            | Stainless Steel      |
|         | $\frac{3}{4}$ "  | <b>511196</b> \$1.05 |
| 511080  | 1"               | <b>511226</b> \$1.06 |
|         | $1\frac{1}{4}$ " | <b>511257</b> \$1.08 |
|         | $1\frac{1}{2}$ " | <b>511288</b> \$1.10 |
|         | 2"               | <b>511318</b> \$1.12 |

Visit our website: [www.dominiongrimm.ca](http://www.dominiongrimm.ca)

# STAINLESS STEEL FITTINGS & PLUMBING



## COUPLINGS NPT

|        |        |         |
|--------|--------|---------|
| 048869 | 1/2"   | \$5.09  |
| 048876 | 3/4"   | \$5.42  |
| 048883 | 1"     | \$7.07  |
| 048890 | 1 1/4" | \$12.81 |
| 048920 | 1 1/2" | \$15.56 |
| 048951 | 2"     | \$15.97 |

## "T" FIPT

|        |        |         |
|--------|--------|---------|
| 049798 | 1/2"   | \$5.51  |
| 049828 | 3/4"   | \$8.12  |
| 049859 | 1"     | \$18.96 |
| 049880 | 1 1/4" | \$18.64 |
| 049910 | 1 1/2" | \$35.43 |

## CAPS MIPT

|        |        |         |
|--------|--------|---------|
| 050787 | 1/2"   | \$3.12  |
| 050817 | 3/4"   | \$4.82  |
| 050848 | 1"     | \$4.54  |
| 050879 | 1 1/4" | \$8.72  |
| 050909 | 1 1/2" | \$12.71 |
| 050930 | 2"     | \$15.38 |

## ELBOWS FIPT X FIPT

|        |        |         |
|--------|--------|---------|
| 045806 | 1/2"   | \$4.82  |
| 045837 | 3/4"   | \$5.40  |
| 045868 | 1"     | \$10.74 |
| 045899 | 1 1/4" | \$11.43 |
| 045929 | 1 1/2" | \$17.81 |
| 045950 | 2"     | \$29.38 |



## NIPPLES NPT

|        |               |         |
|--------|---------------|---------|
| 047138 | 1/4" close    | \$5.05  |
| 047145 | 3/8" x close  | \$5.05  |
| 047152 | 1/2" close    | \$3.30  |
| 047183 | 1/2" x 2"     | \$3.95  |
| 047213 | 1/2" x 2 1/2" | \$3.44  |
| 047244 | 3/4" close    | \$4.54  |
| 047275 | 3/4" x 2"     | \$4.87  |
| 047299 | 3/4" x 3"     | \$5.09  |
| 047305 | 3/4" x 5"     | \$9.04  |
| 047312 | 3/4" x 6"     | \$11.29 |



## UNIONS FNTP

|        |        |         |
|--------|--------|---------|
| 050305 | 1/2"   | \$11.80 |
| 050336 | 3/4"   | \$11.25 |
| 050367 | 1"     | \$29.70 |
| 050398 | 1 1/2" | \$31.12 |
| 050381 | 1 1/4" | \$27.36 |
| 050428 | 2"     | \$55.40 |

## ELBOWS 90° MIPT X FIPT

|        |        |         |
|--------|--------|---------|
| 046254 | 1/2"   | \$7.44  |
| 046285 | 3/4"   | \$15.84 |
| 046315 | 1"     | \$15.56 |
| 046346 | 1 1/4" | \$22.26 |
| 046377 | 1 1/2" | \$23.23 |
| 046407 | 2"     | \$40.21 |

## REDUCERS FIPT X FIPT

|        |                 |         |
|--------|-----------------|---------|
| 051210 | 3/4" x 1/2"     | \$5.05  |
| 051227 | 1 1/2" x 1 1/4" | \$12.76 |



## REDUCERS MIPT X FIPT

|        |                 |         |
|--------|-----------------|---------|
| 051371 | 3/4" x 3/8"     | \$2.80  |
| 051296 | 3/4" x 1/2"     | \$3.44  |
| 051333 | 1" x 1/2"       | \$5.23  |
| 051326 | 1" x 3/4"       | \$6.10  |
| 051388 | 1 1/4" x 1"     | \$11.48 |
| 047770 | 1 1/2" x 1 1/4" | \$13.77 |



## ADAPTATORS INS X MIPT

|        |      |         |
|--------|------|---------|
| 064159 | 1/4" | \$7.30  |
| 064142 | 3/8" | \$7.62  |
| 051685 | 1/2" | \$12.58 |
| 051715 | 3/4" | \$10.83 |
| 064135 | 1"   | \$15.28 |



## TEFLON TAPE FOR STAINLESS STEEL FITTINGS

|        |            |             |
|--------|------------|-------------|
| 157622 | 3/4" gray  | \$5.05/roll |
| 157615 | 1/2" white | \$0.73/roll |

# «QUICKCONNECT» FITTINGS & PLUMBING



## DUST CLAMPS ONLY DC, MALE ADAPTORS

|               |                                 |         |
|---------------|---------------------------------|---------|
| <b>461491</b> | $\frac{3}{4}'' + \frac{1}{2}''$ | \$10.86 |
| <b>461514</b> | $1'' + 1\frac{1}{4}''$          | \$15.56 |
| <b>461552</b> | $1\frac{1}{2}''$                | \$19.71 |
| <b>461576</b> | $2''$                           | \$21.29 |



## MALE COUPLER HOSE SHANKS FOR POLYETHYLENE "E"

|               |                       |        |
|---------------|-----------------------|--------|
| <b>462436</b> | $\frac{1}{2}''$       | \$6.62 |
| <b>462450</b> | $\frac{3}{4}''$       | \$7.36 |
| <b>462474</b> | $1''$                 | \$8.11 |
| <b>462498</b> | $1\frac{1}{4}''$      | \$8.20 |
| <b>464720</b> | $1\frac{1}{4}''$ male | \$8.06 |
| <b>462511</b> | $1\frac{1}{2}''$      | \$8.11 |
| <b>462535</b> | $2''$                 | \$8.94 |

## MALE COUPLERS FEMALE THREAD INT. "A"

|               |                                       |        |
|---------------|---------------------------------------|--------|
| <b>461873</b> | $\frac{1}{2}''$                       | \$6.94 |
| <b>461897</b> | $\frac{3}{4}''$                       | \$5.68 |
| <b>461910</b> | $1''$                                 | \$7.59 |
| <b>461934</b> | $1\frac{1}{2}'' \times \frac{1}{4}''$ | \$8.11 |
| <b>461958</b> | $1\frac{1}{2}''$                      | \$4.19 |
| <b>461972</b> | $2''$                                 | \$7.64 |

## DUST PLUGS FOR FEMALE COUPLER "DP"

|               |                                 |        |
|---------------|---------------------------------|--------|
| <b>501029</b> | $\frac{1}{2}'' + \frac{3}{4}''$ | \$7.08 |
| <b>501067</b> | $1'' + 1\frac{1}{4}''$          | \$5.77 |
| <b>501104</b> | $1\frac{1}{2}''$                | \$6.62 |
| <b>501128</b> | $2''$                           | \$8.85 |

## MALE COUPLERS MALE THREAD EXT. "F"

|               |                  |        |
|---------------|------------------|--------|
| <b>462597</b> | $\frac{3}{4}''$  | \$7.36 |
| <b>462610</b> | $1''$            | \$7.36 |
| <b>462634</b> | $1\frac{1}{4}''$ | \$8.94 |
| <b>462658</b> | $1\frac{1}{2}''$ | \$8.11 |
| <b>462672</b> | $2''$            | \$8.94 |

## "O-RING" FOR ADAPTOR (NOT SHOWN)

|               |                  |        |
|---------------|------------------|--------|
| <b>465192</b> | $\frac{3}{4}''$  | \$1.02 |
| <b>465215</b> | $1''$            | \$1.02 |
| <b>465253</b> | $1\frac{1}{2}''$ | \$1.07 |
| <b>465277</b> | $2''$            | \$1.12 |



## TYPE "A" STAINLESS STEEL QUICK COUPLERS

|               |                 |         |
|---------------|-----------------|---------|
| <b>462948</b> | $\frac{1}{2}''$ | \$14.46 |
| <b>462962</b> | $\frac{3}{4}''$ | \$14.46 |
| <b>462986</b> | $1''$           | \$17.49 |

## TYPE "D" STAINLESS STEEL QUICK COUPLERS

|               |                 |         |
|---------------|-----------------|---------|
| <b>463327</b> | $\frac{1}{2}''$ | \$27.68 |
| <b>463587</b> | $\frac{3}{4}''$ | \$22.31 |
| <b>463648</b> | $1''$           | \$31.81 |

## TYPE "CS" STAINLESS STEEL QUICK COUPLERS

|               |                 |         |
|---------------|-----------------|---------|
| <b>463655</b> | $\frac{1}{2}''$ | \$25.25 |
| <b>463662</b> | $\frac{3}{4}''$ | \$25.25 |
| <b>463686</b> | $1''$           | \$30.57 |

## TYPE "E" STAINLESS STEEL QUICK COUPLERS

|               |                 |         |
|---------------|-----------------|---------|
| <b>463709</b> | $\frac{1}{2}''$ | \$11.02 |
| <b>463723</b> | $\frac{3}{4}''$ | \$13.77 |
| <b>463754</b> | $1''$           | \$18.75 |



# PVC FITTINGS & PLUMBING



## PVC VALVES

|                                |         |
|--------------------------------|---------|
| THREAD x THREAD                |         |
| 463679 $\frac{1}{2}$ " .....   | \$3.88  |
| 463976 $\frac{3}{4}$ " .....   | \$5.58  |
| 464010 1" .....                | \$6.77  |
| 464058 1 $\frac{1}{4}$ " ..... | \$9.98  |
| 464072 1 $\frac{1}{2}$ " ..... | \$14.02 |
| 464119 2" .....                | \$18.44 |



## SINGLE COUPLING PVC VALVES

|                                           |         |
|-------------------------------------------|---------|
| 462023 $\frac{3}{4}$ " SLIP x SLIP .....  | \$15.46 |
| 462122 1" SLIP x SLIP .....               | \$21.84 |
| 462184 1 $\frac{1}{2}$ " SLIP x SLIP .... | \$22.11 |
| 462207 2" SLIP x SLIP.....                | \$34.49 |
| 462245 $\frac{3}{4}$ " screw.....         | \$15.46 |
| 462269 1" screw .....                     | \$23.00 |
| 462283 1 $\frac{1}{4}$ " screw.....       | \$26.05 |
| 462344 2" screw.....                      | \$50.37 |



## GUILLOTINE VALVES

|                                |         |
|--------------------------------|---------|
| 464683 1" .....                | \$19.19 |
| 464126 1 $\frac{1}{2}$ " ..... | \$20.75 |
| 464133 2' .....                | \$33.76 |
| 464690 3" .....                | \$50.21 |



## SLIP X SLIP VALVES

|                                |         |
|--------------------------------|---------|
| 464065 $\frac{3}{4}$ " .....   | \$5.44  |
| 463990 1" .....                | \$6.77  |
| 464034 1 $\frac{1}{4}$ " ..... | \$9.76  |
| 464027 1 $\frac{1}{2}$ " ..... | \$14.14 |
| 464096 2" .....                | \$18.44 |



## PVC STRAPS

|                                |        |
|--------------------------------|--------|
| 470929 $\frac{3}{4}$ " .....   | \$0.95 |
| 470899 1" .....                | \$1.23 |
| 470912 1 $\frac{1}{4}$ " ..... | \$1.23 |
| 470905 1 $\frac{1}{2}$ " ..... | \$1.32 |
| 470936 2" .....                | \$2.39 |
| 471018 3" .....                | \$9.13 |

## RIGID PVC TUBING, CLEAR 10' (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 455087 1" .....                | \$4.82 |
| 455681 1 $\frac{1}{2}$ " ..... | \$5.82 |
| 455667 2" .....                | \$7.19 |

## RIGID PVC TUBING, WHITE 10' (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 456275 $\frac{3}{4}$ " .....   | \$0.90 |
| 456459 1" .....                | \$1.42 |
| 456473 1 $\frac{1}{4}$ " ..... | \$1.84 |
| 456466 1 $\frac{1}{2}$ " ..... | \$1.73 |
| 456497 2" .....                | \$2.27 |
| 456565 2 $\frac{1}{2}$ " ..... | \$3.69 |



## FLEXIBLE "SPA" TUBING (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 467363 1 $\frac{1}{2}$ " ..... | \$2.76 |
| 467370 2" .....                | \$4.29 |



## FLEXIBLE PVC TUBING, CLEAR (\$/FOOT)

|                                |         |
|--------------------------------|---------|
| 455094 $\frac{1}{2}$ " .....   | \$3.17  |
| 455131 $\frac{3}{4}$ " .....   | \$2.74  |
| 455179 1" .....                | \$4.96  |
| 455216 1 $\frac{1}{4}$ " ..... | \$9.17  |
| 455254 1 $\frac{1}{2}$ " ..... | \$13.04 |
| 455339 2" .....                | \$13.62 |



## FLEXIBLE PVC TUBING, REINFORCED, CLEAR (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 455117 $\frac{1}{2}$ " .....   | \$1.04 |
| 455155 $\frac{3}{4}$ " .....   | \$1.65 |
| 455193 1" .....                | \$2.44 |
| 455230 1 $\frac{1}{4}$ " ..... | \$4.30 |
| 455278 1 $\frac{1}{2}$ " ..... | \$4.93 |
| 455315 2" .....                | \$7.43 |



## PVC SUCTION TUBING (\$/FOOT)

|                                |         |
|--------------------------------|---------|
| 368240 $\frac{3}{4}$ " .....   | \$5.06  |
| 368271 1" .....                | \$5.58  |
| 366772 1 $\frac{1}{4}$ " ..... | \$4.75  |
| 368332 1 $\frac{1}{2}$ " ..... | \$8.04  |
| 368363 2" .....                | \$10.81 |



## PVC GLUE

|                                 |        |
|---------------------------------|--------|
| 463440 118 ml, clear .....      | \$7.52 |
| 463501 226 ml, clear .....      | \$7.71 |
| 463068 8 oz, clear primer ..... | \$8.24 |

# POLYETHYLENE FITTINGS



## REGULAR

|               |                                                              |        |
|---------------|--------------------------------------------------------------|--------|
| <b>459931</b> | 1" x 1" x $\frac{3}{4}$ " .....                              | \$2.88 |
| <b>459955</b> | 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " x 1" .....             | \$2.51 |
| <b>459979</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1" .....             | \$4.37 |
| <b>459993</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " .. | \$5.72 |

## REDUCERS

|               |                                                  |        |
|---------------|--------------------------------------------------|--------|
| <b>459313</b> | 1" x $\frac{3}{4}$ " insert.....                 | \$1.37 |
| <b>459351</b> | 1 $\frac{1}{4}$ " x 1" insert.....               | \$2.17 |
| <b>459412</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " insert ... | \$2.52 |
| <b>459474</b> | 2" x 1 $\frac{1}{2}$ " insert.....               | \$4.07 |

## ELBOWS

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>460852</b> | $\frac{3}{4}$ " insert .....   | \$2.24 |
| <b>460890</b> | 1" insert.....                 | \$2.27 |
| <b>460913</b> | 1 $\frac{1}{4}$ " insert ..... | \$2.17 |
| <b>460937</b> | 1 $\frac{1}{2}$ " insert ..... | \$3.26 |
| <b>460951</b> | 2" insert .....                | \$4.56 |

## CAPS

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>500886</b> | $\frac{3}{4}$ " insert .....   | \$1.51 |
| <b>500909</b> | 1" insert.....                 | \$2.03 |
| <b>500923</b> | 1 $\frac{1}{4}$ " insert ..... | \$2.58 |
| <b>500947</b> | 1 $\frac{1}{2}$ " inser .....  | \$2.84 |



## MALE ADAPTORS

|               |                                    |        |
|---------------|------------------------------------|--------|
| <b>461675</b> | $\frac{3}{4}$ " insert x m .....   | \$0.99 |
| <b>461279</b> | 1" insert x m .....                | \$0.99 |
| <b>461699</b> | 1 $\frac{1}{4}$ " insert x m.....  | \$1.57 |
| <b>461712</b> | 1 $\frac{1}{2}$ " insert x m ..... | \$1.75 |
| <b>461736</b> | 2" insert x m.....                 | \$3.43 |

## "T" (INSERT X INSERT)

|               |                                                             |        |
|---------------|-------------------------------------------------------------|--------|
| <b>463013</b> | $\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{3}{4}$ " .....   | \$2.17 |
| <b>463037</b> | 1" x 1" x 1" .....                                          | \$2.84 |
| <b>463051</b> | 1 $\frac{1}{4}$ "x1 $\frac{1}{4}$ "x1 $\frac{1}{4}$ " ..... | \$3.83 |
| <b>463075</b> | 1 $\frac{1}{2}$ "x1 $\frac{1}{2}$ "x1 $\frac{1}{2}$ " ..... | \$4.35 |
| <b>463099</b> | 2" x 2" x 2" .....                                          | \$8.42 |
| <b>460210</b> | 2" x 2" x 1 $\frac{1}{2}$ " .....                           | \$8.89 |

## "T" GRAY ADAPTORS

|               |                                  |        |
|---------------|----------------------------------|--------|
| <b>461132</b> | $\frac{3}{4}$ " for star .....   | \$2.36 |
| <b>461156</b> | 1" for star .....                | \$3.08 |
| <b>461170</b> | 1 $\frac{1}{4}$ " for star ..... | \$4.21 |

## UNIONS (INSERT X INSERT)

|               |                         |        |
|---------------|-------------------------|--------|
| <b>462818</b> | $\frac{3}{4}$ " .....   | \$0.99 |
| <b>462832</b> | 1" .....                | \$1.01 |
| <b>462856</b> | 1 $\frac{1}{4}$ " ..... | \$1.18 |
| <b>462870</b> | 1 $\frac{1}{2}$ " ..... | \$1.80 |
| <b>462894</b> | 2" .....                | \$3.40 |



## POLYETHYLENE FITTINGS NO RESTRICTIONS (UNIONS)

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>468056</b> | $\frac{3}{4}$ " insert .....   | \$3.67 |
| <b>468063</b> | 1" insert.....                 | \$3.98 |
| <b>468070</b> | 1 $\frac{1}{4}$ " insert ..... | \$4.33 |
| <b>468087</b> | 1 $\frac{1}{2}$ " insert ..... | \$4.59 |
| <b>468094</b> | 2" insert .....                | \$4.95 |

## POLYETHYLENE FITTINGS NO RESTRICTIONS (MALE ADAPTORS)

|               |                         |        |
|---------------|-------------------------|--------|
| <b>468001</b> | $\frac{3}{4}$ " .....   | \$2.91 |
| <b>468018</b> | 1" .....                | \$3.67 |
| <b>468025</b> | 1 $\frac{1}{4}$ " ..... | \$3.93 |
| <b>468032</b> | 1 $\frac{1}{2}$ " ..... | \$4.18 |
| <b>468049</b> | 2" .....                | \$4.49 |

## CLEAR PLASTIC CHECK VALVES (FIPT)

|               |                         |         |
|---------------|-------------------------|---------|
| <b>405440</b> | 1" .....                | \$44.44 |
| <b>405457</b> | 1 $\frac{1}{4}$ " ..... | \$41.40 |
| <b>383991</b> | 1 $\frac{1}{2}$ " ..... | \$46.00 |
| <b>384042</b> | 2" .....                | \$64.96 |

## CLEAR PLASTIC CHECK VALVES (SLIP X SLIP)

|               |                         |          |
|---------------|-------------------------|----------|
| <b>383861</b> | 1" .....                | \$39.52  |
| <b>383878</b> | 1 $\frac{1}{2}$ " ..... | \$45.62  |
| <b>383892</b> | 2" .....                | \$66.28  |
| <b>383915</b> | 3" .....                | \$122.35 |

OTHER SIZES AVAILABLE IN BOTH MODELS



## TOOLS

**A** 480980  $\frac{3}{16}$ " compact insertion plier & vise grip (710651).....\$122.60  
**480690** 9" wire bender, with #9 and #12 spring (71576).....\$78.60

**B** 480959 11" wire bender, with #6 and #9 spring (71571).....\$86.90

**C** 473975  $\frac{5}{16}$ " compact insertion plier & vise grip (71065) .....\$122.60

**D** 475160 Repair tool, automatic tension (71401) .....\$143.80

**E** 474934 Deluxe tubing drop plier (71106) .....\$296.40

**F** 480744 Electric rewinding hook (719991).....\$10.60

**G** 480126 Small tubing repair plier (71050).....\$119.20

**H** 480362  $\frac{3}{16}$ " small tubing repair plier (710501) .....\$119.20

**I** 480140 Spring for insertion plier (71051).....\$11.07

**J** 474897  $\frac{31}{64}$ " metal punch (71300).....\$109.30

**K** 474873  $\frac{3}{8}$ " metal punch (71315) .....\$107.10

474903  $\frac{15}{32}$ " metal punch (for Plastech).....\$109.22

**L** 470646  $\frac{3}{16}$ " -  $\frac{5}{16}$ " bring together hook (71905) .....\$19.50

**M** 470639  $\frac{5}{16}$ " bring together hook (71904).....\$15.70

**N** 473401 Reducer spout remover (71292).....\$70.43

**O** 476907  $\frac{5}{16}$ " Installation plier with knife (71146).....\$255.90

476914  $\frac{3}{16}$ " Installation plier with knife (711081).....\$230.60

473999  $\frac{5}{16}$ " Installation plier without knife (71109).....\$181.40





**P** 480904  $\frac{3}{16}$ " Installation plier without knife (711091).....\$181.40

**Q** 470943  $\frac{1}{4}$ " cone and gauge tester(71947).....\$35.70


**R** 470547  $\frac{7}{16}$ " tapping bit stopper (71910).....\$11.30

**470561**  $\frac{5}{16}$ " tapping bit stopper (71911).....\$11.30

**470523**  $\frac{19}{64}$ " tapping bit stopper (71912).....\$11.30



# TOOLS



## SINGLE DRILL BIT


|          |        |                                        |         |
|----------|--------|----------------------------------------|---------|
| <b>A</b> | 480607 | $\frac{15}{32}$ ", green (71311).....  | \$46.60 |
|          | 474828 | $\frac{3}{8}$ ", black (71316).....    | \$42.70 |
| <b>A</b> | 474729 | $\frac{31}{64}$ ", red (71301).....    | \$46.53 |
|          | 474705 | $\frac{7}{16}$ ", blue (71321).....    | \$46.53 |
|          | 475764 | $\frac{5}{16}$ ", yellow (71331) ..... | \$40.59 |

## TUBING TOOLS AND ACCESSORIES

|          |        |                                                              |          |
|----------|--------|--------------------------------------------------------------|----------|
| <b>B</b> | 476921 | Cut vacuum plier, automatic tension (71919) .....            | \$73.10  |
| <b>C</b> | 475016 | Tubing remover, four functions (71210) .....                 | \$110.10 |
| <b>D</b> | 480447 | $\frac{3}{4}$ " + 1" mainline plier(71500) .....             | \$251.80 |
| <b>E</b> | 006531 | $\frac{1}{2}$ " "U" pipe with hook positioning .....         | \$40.30  |
| <b>F</b> | 006524 | $\frac{1}{2}$ " "U" pipe SS for filling drum.....            | \$17.00  |
|          | 006517 | $\frac{3}{4}$ " "U" pipe SS for filling drum.....            | \$18.00  |
|          | 006487 | 1" "U" pipe SS for filling drum.....                         | \$19.10  |
| <b>G</b> | 480577 | Horizontal reel, adjustable for wire and tubing (71625)..... | \$191.80 |
|          | 475177 | Horizontal 22" adjustable tubing reel (71610) .....          | \$99.80  |



- Entirely in aluminum
- Ultra-light, very robust
- Excellent grip



## LOAC HAMMERS

|          |        |                                              |          |
|----------|--------|----------------------------------------------|----------|
| <b>I</b> | 473876 | 10" hammer with handle (2 faces).....        | \$27.60  |
| <b>J</b> | 473708 | Hammer spout remover .....                   | \$33.20  |
| <b>K</b> | 473715 | Tapping hammer with hatchet.....             | \$34.10  |
| <b>L</b> | 473920 | $\frac{5}{16}$ " tubing aluminum plier.....  | \$298.40 |
|          | 478604 | $\frac{3}{16}$ " tubing aluminum plier ..... | \$289.20 |

## LOAC SPOUT REMOVERS

|          |        |                                     |         |
|----------|--------|-------------------------------------|---------|
| <b>M</b> | 473883 | 15" spout remover (small) .....     | \$32.20 |
|          | 474521 | 22.5" spout remover (medium).....   | \$35.90 |
|          | 474033 | 30" spout remover (tall).....       | \$39.60 |
| <b>N</b> | 474583 | 40" spout remover (x-tall) .....    | \$43.20 |
|          | 476365 | 48" spout remover (on request)..... | \$45.00 |

## LOAC MAINLINE ADJUSTER

|          |        |                                  |         |
|----------|--------|----------------------------------|---------|
| <b>O</b> | 477010 | 30" mainline adjusting tool..... | \$93.70 |
|----------|--------|----------------------------------|---------|

**OTHER D&G TOOLS AND ACCESSORIES**

|                 |                                              |          |
|-----------------|----------------------------------------------|----------|
| <b>A</b> 155284 | Garant pruner.....                           | \$12.90  |
| <b>B</b> 474835 | 1 1/2" plastic mainline cutter .....         | \$26.50  |
| 474859          | 2" plastic mainline cutter .....             | \$27.00  |
| <b>C</b> 466243 | Knipex plier for high tension #10 wire ..... | \$99.00  |
| <b>D</b> 466359 | CHAMBERLAND Drop line plier .....            | \$191.90 |
| <b>E</b> 480751 | Support level line.....                      | \$62.40  |

**LOWE CUTTER**

|                 |                                  |         |
|-----------------|----------------------------------|---------|
| <b>F</b> 480584 | 5/16" Lowe straight cutter ..... | \$62.40 |
| <b>G</b> 480522 | 5/16" Lowe cutter .....          | \$50.90 |

**H LINE LEVELER**

479892 Kuker Ranken hand level..... \$127.80

**I LINE TAPPING MULTI-TOOL**

467028 LineViper 3/16 ..... \$119.95  
467004 LineViper 5/16 ..... \$119.95

**J APRON FOR FOREST WORK**

475382 Orange, ultra robust material ..... \$203.40



**HIGH-DENSITY  
ULTRA-DURABLE  
FABRIC**



# TAPPING






## BUCKETS FOR MAPLE SYRUP

|   |        |                                                  |                |
|---|--------|--------------------------------------------------|----------------|
| A | 470493 | 2 gallons used aluminum .....                    | PRICE IN STORE |
| B | 470516 | 1.5 gallons used aluminum .....                  | PRICE IN STORE |
| C | 470462 | 2 gallons plastic, clear (5-year warranty) ..... | \$4.28         |
|   | 470578 | 2 gallons new aluminum bucket .....              | \$3.56         |

## GRIMM COVER

Grimm galvanized covers with rolled edges.

|   |        |                            |        |
|---|--------|----------------------------|--------|
| D | 482731 | Size: 11 1/4" x 11 5/6"    | \$2.66 |
|   | 480119 | Replacement wire only..... | \$0.42 |



## DOMINION & GRIMM ROYAL SPOUTS

|   |        |                                          |        |
|---|--------|------------------------------------------|--------|
| E | 474002 | D&G aluminum royal spout with hook ..... | \$1.53 |
|   | 473517 | Replacement spout hooks (only).....      | \$0.90 |
| F | 474606 | 5/16" turnable spout with hook .....     | \$0.90 |

## WOODEN-HANDLE GATHERING PAILS

With EASY-GRIP handle, made in polyethylene.

|   |        |                |         |
|---|--------|----------------|---------|
| G | 470417 | 3 gallons..... | \$19.35 |
|   | 470431 | 4 gallons..... | \$24.75 |

## H DENATURED ALCOHOL

|   |        |                                                            |         |
|---|--------|------------------------------------------------------------|---------|
| I | 477843 | Disinfects tapping drills and spouts, 4 liters (2-J) ..... | \$25.65 |
|---|--------|------------------------------------------------------------|---------|

## I SURVEYOR TAPE

|        |              |        |
|--------|--------------|--------|
| 149733 | Orange ..... | \$2.16 |
| 149900 | Pink.....    | \$2.16 |
| 149917 | Blue.....    | \$2.16 |
| 149924 | Red.....     | \$2.16 |

## SQUIRREL TRAP

|   |        |                     |         |
|---|--------|---------------------|---------|
| J | 476099 | Squirrel trap ..... | \$52.20 |
|---|--------|---------------------|---------|

## HIGH PERFORMANCE TAPPING DRILLS

## TAPPING DRILLS

|          |        |         |                             |         |
|----------|--------|---------|-----------------------------|---------|
| <b>A</b> | 474668 | 5/16"   | regular, length .....       | \$16.74 |
| <b>B</b> | 474644 | 19/64"  | regular, length.....        | \$16.74 |
| <b>C</b> | 472008 | 1/4"    | regular, length.....        | \$14.85 |
| <b>D</b> | 474682 | * 7/16" | regular, special right..... | \$21.96 |
| <b>E</b> | 478956 | 19/64"  | short, length .....         | \$16.74 |
| <b>F</b> | 478963 | 5/16"   | short, length.....          | \$16.74 |
|          | 474484 | 1/4"    | short, length .....         | \$14.85 |



## TAPPING DRILLS

|          |        |        |               |         |
|----------|--------|--------|---------------|---------|
| <b>G</b> | 475047 | 19/64" | regular.....  | \$23.13 |
|          | 475009 | 5/16"  | regular ..... | \$23.13 |
|          | 476747 | 1/4"   | regular.....  | \$23.13 |
|          | 478987 | 19/64" | short .....   | \$23.13 |
|          | 478994 | 5/16"  | short.....    | \$23.13 |
| <b>H</b> | 478970 | 1/4"   | short .....   | \$23.13 |



## GV SNOWSHOES, ALUMINUM FRAME

|          |        |           |                            |          |
|----------|--------|-----------|----------------------------|----------|
| <b>I</b> | 475443 | 9" x 29"  | (5902, Snow aerolite)..... | \$188.99 |
|          | 475467 | 10" x 36" | (5903, Snow aerolite)..... | \$188.99 |
|          | 476334 | 11" x 28" | (5546, Wide trail).....    | \$287.99 |
| <b>J</b> | 475481 | 11" x 38" | (5548, Wide trail).....    | \$287.99 |
|          | 475894 | 12" x 33" | (5547, Wide trail).....    | \$287.99 |
|          | 475504 | 12" x 42" | (5549, Wide trail).....    | \$287.99 |
| <b>K</b> | 476310 | 9" x 30"  | (5821, Snow).....          | \$239.99 |
|          | 476327 | 10" x 36" | (5822, Snow) .....         | \$233.99 |
| <b>L</b> | 476341 | 9" x 30"  | (5384, Winter trail) ..... | \$143.99 |
|          | 476358 | 10" x 36" | (5385, Winter trail) ..... | \$143.99 |

## OTHER SNOWSHOE MODELS AVAILABLE



OUR SHARPENING SERVICE IS LOCATED AT:  
1372 , 8 E RUE , ST-PROSPER DE DORCHESTER , QC G0M 1Y0  
T. 418-594-5255



# BARRELS



## STAINLESS STEEL DRUMS

|          |                                                 |                |
|----------|-------------------------------------------------|----------------|
| <b>A</b> | 472695 34 imp. gallons, (40 US gallons) BARINOX | PRICE IN STORE |
| 473067   | 40 imp. gallons (48 US gallons), BARINOX.....   | PRICE IN STORE |
| 499692   | 2" stainless steel plug for above.....          | \$14.40        |
| 952036   | 2" nylon gasket for stainless steel .....       | \$0.90         |
| 473135   | Drum wrench .....                               | \$50.40        |
| 499708   | Reducing drum plug for 3/4" plug.....           | \$8.55         |
| 499685   | 2" TRI-SURE zing plug for drum .....            | \$4.95         |
| 473050   | 2" irradiated gasket for drunk.....             | \$0.90         |

## B 266492 HEATING BELT, 1200 WATTS

|                                                                      |
|----------------------------------------------------------------------|
| – Keeps or warms your barrels (not completely filled)                |
| – Ensure your barrels are packaged at a minimum temperature of 180°F |
| – Thermostat 0 - 375°F                                               |
| – Runs on 110/120 Volts – 15 Amps                                    |
| – Length of 58.5", for 34 gallons barrels                            |
| .....\$301.32                                                        |

## C D&G LITHOGRAPHED BARREL

|                                                                                   |                |
|-----------------------------------------------------------------------------------|----------------|
| 473111 34 imp. gallons (40 US gallons) stainless steel (PERSONALIZATION POSSIBLE) | PRICE IN STORE |
|-----------------------------------------------------------------------------------|----------------|

## PLASTICA DRUMS

|                                                                        |                |
|------------------------------------------------------------------------|----------------|
| 473296 6 imp. gallons reusable drum (not shown).....                   | PRICE IN STORE |
| 473258 16 imp. gallons reusable drum (not shown).....                  | PRICE IN STORE |
| <b>D 473265</b> 35 imp. gallons EVOLUTION drum, 2 plugs included ..... | PRICE IN STORE |

## PLASTICA TEST KIT, (NOT SHOWN)

|        |                                     |         |
|--------|-------------------------------------|---------|
| 473395 | Drum wrench for Plastica.....       | \$21.90 |
| 473340 | Sampler cap, large threads .....    | \$8.50  |
| 473357 | Sampler cap, small threads.....     | \$8.50  |
| 473432 | Plastica syringe to test syrup..... | \$9.00  |
| 473302 | 3/4" regular tap plug .....         | \$5.20  |
| 473821 | 3/4" plastic tap .....              | \$6.90  |
| 473814 | 2" plastic tap .....                | \$31.20 |

## E DRUM ROCKER

For moving, draining, or storing drums up to 45 gallons.

|        |                        |          |
|--------|------------------------|----------|
| 473210 | 1 000 lb capacity..... | \$166.50 |
|--------|------------------------|----------|

## F DRUM TRUCK

Designed to handle containers from 18" in diameter to large 45 gallons drums.

|        |                        |          |
|--------|------------------------|----------|
| 473234 | 1 000 lb capacity..... | \$356.78 |
|--------|------------------------|----------|

## 540ML ROUND CAN COOLING UNIT (NOT SHOWN)

Improves the finished product. Used for cooling round "cans" rapidly with cold, clean water. Prevents your syrup from getting thicker and darker after the packing process. 3/4" cold water feed. 1" water outlet. 46 cans on the dripping tray portion. Width: 11, length: 10', height: 38"

|        |                                      |                |
|--------|--------------------------------------|----------------|
| 266485 | Submerges 12 cans in the water ..... | PRICE IN STORE |
|--------|--------------------------------------|----------------|

## G DRUM TRANSFER

Lets you switch from one drum to another during filling. Helps avoid overflow.

|        |                         |          |
|--------|-------------------------|----------|
| 402074 | 1/2" .....              | \$180.00 |
| 402470 | 1" stainless steel..... | \$368.10 |

## MAPLE SAP DENSIMETER

|                                                                          |                                                                                                 |         |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|
| <b>A</b>                                                                 | 116599 * Densimeter, 0° - 8.5° Brix (2010).....                                                 | \$14.40 |
| <b>B</b>                                                                 | 116391 * Densimeter, 0° - 15° Brix (1755).....                                                  | \$16.60 |
| <b>C</b>                                                                 | 116612 * Densimeter, 8° - 23° Brix .....                                                        | \$19.80 |
| <b>D</b>                                                                 | 116629 * Syrup densimeter (2075). 35° - 75° Brix & baume,<br>59° hot syrup, 66° cold syrup..... | \$11.30 |
| 267666 * Syrup densimeter (2075) with <b>certified calibration</b> ..... | \$15.90                                                                                         |         |

## 2000 HYDROTHERM

Will give you reading between 35°F and 210°F. Pre-calibration at 65.8° Brix.  
Combination of a hydrometer and a thermometer

|          |                                         |         |
|----------|-----------------------------------------|---------|
| <b>E</b> | 115998 * Alla Hydrotherm.....           | \$22.50 |
| <b>F</b> | 470202 * Strong Kessler Hydrotherm..... | \$27.90 |

## HYDROMETER CUPS (TIG WELDED)

|          |                                            |         |
|----------|--------------------------------------------|---------|
| <b>G</b> | 267727 Height: 10", diameter: 1 1/2" ..... | \$47.50 |
| <b>H</b> | 267758 Height: 10", diameter 2" .....      | \$47.50 |

## THERMOMETERS

|          |                                                   |         |
|----------|---------------------------------------------------|---------|
| <b>I</b> | 116025 * D&G red drop thermometer .....           | \$54.90 |
| <b>J</b> | 116056 * Refill for D&G red drop thermometer..... | \$36.00 |
| <b>K</b> | 116124 * Digital thermometer, for candies.....    | \$32.40 |

## BRIX REFRACTOMETERS



Included: An adjustment screwdriver, a rag, pipettes and carrying case.

|                                                                                                                                                      |                                                           |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|
| <b>L</b>                                                                                                                                             | 116636 * Alla 1 <sup>st</sup> quality, 0° - 32°Brix ..... | \$182.70 |
| 116582 * Alla 1 <sup>st</sup> quality, 45° - 82° Brix .....                                                                                          | \$182.70                                                  |          |
| 116575 * Alla 1 <sup>st</sup> quality, 58° - 90° Brix.....                                                                                           | \$182.70                                                  |          |
| 116537 15 ml calibration liquid for refractometer 58° - 90°  .... | \$20.70                                                   |          |
| <b>M</b> 357459 Atago Pal-Maple 0° - 85° Brix refractometer .....                                                                                    | \$652.50                                                  |          |
| 117398 Atago invert sugar refractometer .....                                                                                                        | \$535.50                                                  |          |

## N INDUSTRIAL QUALITY DIAL THERMOMETERS

Tempered glass. These dial thermometers are 1/4" mpt

|                                                           |          |
|-----------------------------------------------------------|----------|
| 115783 * 12" x 5" dial thermometer (0°F - 50°F).....      | \$79.20  |
| 115813 * 9" x 5" dial thermometer (0°F - 50°F) .....      | \$76.50  |
| 115844 * 9" x 3" dial thermometer (0°F - 50°F) .....      | \$54.90  |
| 115875 * 12" x 3" dial thermometer (0°F - 50°F) .....     | \$57.60  |
| 115936 * 18" long prob dial thermometer (0°F - 50°F)..... | \$166.50 |
| 206634 Bracket for pan .....                              | \$27.80  |



\* **LIMITED WARRANTY, NON-REFUNDABLE.**

# CLEANERS



## BRUSHES

|          |        |                                                                    |         |
|----------|--------|--------------------------------------------------------------------|---------|
| <b>A</b> | 475573 | 7/16" for drill .....                                              | \$3.20  |
| <b>B</b> | 475597 | 7/16" with eyelet .....                                            | \$3.20  |
| <b>C</b> | 475702 | For 5/16" and 19/64" eco spout.....                                | \$4.80  |
| <b>D</b> | 475696 | N° 99 fiber brush, for 7" flue .....                               | \$45.00 |
| <b>E</b> | 475672 | Nylon N° 97 flues .....                                            | \$18.00 |
| <b>F</b> | 475658 | 1/2" special, nylon (small flue).....                              | \$19.80 |
| <b>G</b> | 475719 | N° 98 for underneath 2" flue pan.....                              | \$19.80 |
| <b>H</b> | 475795 | Brush for 1.5 and 2 gallons bucket washer. Used with a drill ..... | \$62.50 |

## I THERMAL GLOVES

Breathable polyurethane coating. Insulated acrylic liner.

|               |               |         |
|---------------|---------------|---------|
| <b>486654</b> | Medium .....  | \$31.50 |
| <b>486630</b> | Large.....    | \$31.50 |
| <b>486678</b> | XLarge.....   | \$31.50 |
| <b>486647</b> | XX Large..... | \$31.50 |

## PAN CLEANERS

|          |        |                                                                                       |          |
|----------|--------|---------------------------------------------------------------------------------------|----------|
| <b>J</b> | 477973 | D&G powdered cleaner 10 lb .....                                                      | \$25.70  |
|          | 477997 | D&G powdered cleaner 25 kg .....                                                      | \$90.00  |
| <b>K</b> | 477898 | 4 liters, liquid pan cleaner.....                                                     | \$27.60  |
| <b>L</b> | 478048 | 20 liters, liquid pan cleaner.....                                                    | \$132.20 |
|          |        | Agriculture Canada Approved. Biodegradable products. Liquid cleaners for evaporators. |          |
| <b>M</b> | 477423 | 3.78 liters, "Super Clean" liquid cleaner for pans .....                              | \$28.60  |
|          | 477430 | 20 liters, "Super Clean" liquid cleaner for pans .....                                | \$129.60 |
| <b>O</b> | 478192 | 4 liters, "Myster Pan" liquid cleaner.....                                            | \$28.60  |
|          | 478208 | 20 liters, "Myster Pan" liquid cleaner.....                                           | \$118.80 |
| <b>P</b> | 477393 | 4L "Finox" creosote cleaner .....                                                     | \$33.60  |

## ISOPROPYL ALCOHOL

|          |        |                                                          |          |
|----------|--------|----------------------------------------------------------|----------|
| <b>Q</b> | 477478 | 70% isopropyl alcohol, 4 liters .....                    | \$22.30  |
|          | 477485 | 70% isopropyl alcohol, 18.9 liters .....                 | \$57.40  |
|          | 477492 | 70% isopropyl alcohol, 205 liters (45 gallons drum)..... | \$504.00 |
|          |        | (Non-returnable drums) .....                             |          |
|          | 477201 | Container and adjustable strap only .....                | \$44.10  |
|          | 477225 | Seal for syringe gun .....                               | \$2.90   |
| <b>R</b> | 477379 | 5 liter container kit with adjustable straps .....       | \$90.50  |
| <b>S</b> | 477386 | 15ml feed regulator plastic gun (only).....              | \$60.30  |

## CHLORINE

|          |        |                                           |         |
|----------|--------|-------------------------------------------|---------|
| <b>N</b> | 477805 | 20 liters, chlorine disinfectant .....    | \$18.00 |
|          | 477744 | Empty container for chlorine (returnable) |         |


## A LOLLIPOP MOLDS

|                                             |                                                 |
|---------------------------------------------|-------------------------------------------------|
| <b>488528</b> Rabbit.....\$4.30             | <b>488627</b> Duck in shell .....\$4.30         |
| <b>488603</b> Cute bunny .....\$4.30        | <b>488665</b> Apple.....\$4.30                  |
| <b>488689</b> Heart.....\$4.30              | <b>488726</b> Medium dinosaur.....\$4.30        |
| <b>488788</b> Snowman.....\$4.30            | <b>488764</b> Maple leaf .....\$4.30            |
| <b>488801</b> Easter egg .....\$4.30        | <b>488610</b> Diploma .....\$4.30               |
| <b>488887</b> Pony head.....\$4.30          | <b>489327</b> 1 $\frac{1}{8}$ " ball.....\$4.30 |
| <b>488924</b> Small smiley face .... \$4.30 | <b>489334</b> Spoons .....\$4.30                |
| <b>488948</b> Balloon .....\$4.30           |                                                 |



## FDA LOLLIPOP MOLDS

|                                                                                |
|--------------------------------------------------------------------------------|
| <b>B</b> <b>488757</b> Barrel with maple leaf, clear (12 cavities).....\$12.50 |
| <b>C</b> <b>488771</b> Maple leaf (12 cavities) .....\$12.50                   |



## D HARD CANDY MOLDS

|                                          |                                              |
|------------------------------------------|----------------------------------------------|
| <b>488429</b> Rose .....\$4.30           | <b>488580</b> Small bells .....\$4.30        |
| <b>488443</b> Small shamrock..... \$4.30 | <b>488849</b> Tiny eggs.....\$4.30           |
| <b>488467</b> Small leaf.....\$4.30      | <b>488641</b> Maple leafs .....\$4.30        |
| <b>488504</b> Smiley face ..... \$4.30   | <b>489341</b> Flowers, fruit & nuts ..\$4.30 |
| <b>488542</b> Small heart .....\$4.30    | <b>489358</b> Strawberries .....\$4.30       |
| <b>488566</b> Small stars.....\$4.30     |                                              |




## E LOLLIPOP STICKS

|                                           |
|-------------------------------------------|
| <b>489082</b> Package of 1000.....\$17.10 |
|-------------------------------------------|



## F RUBBER MOLDS


|                                                                                   |
|-----------------------------------------------------------------------------------|
| <b>488221</b> Maple leafs, 240 cavities, $\frac{1}{4}$ oz.....\$100.60            |
| <b>488146</b> Maple leafs, n° 1204, 72 cavities, 1 oz .....\$100.60               |
| <b>488245</b> Maple leafs, n° 1301, 160 cavities, $\frac{1}{3}$ oz.....\$100.60   |
| <b>488061</b> Maple leafs, n° 1138, 12 cavities, 1 oz .....\$30.50                |
| <b>488184</b> Maple leafs, n° 1243, 20 cavities, $\frac{1}{3}$ oz.....\$24.00     |
| <b>488023</b> Maple leafs, n° 1137, 8 cavities, 2 oz.....\$27.70                  |
| <b>488320</b> Assorted motifs, n° 41 H, 180 cavities, .....\$84.90                |
| <b>488382</b> Assorted motifs, n° 830 SP, 240 cavities.....\$100.60               |
| <b>488207</b> Lily flowers, n° 1270, 20 cavities, $\frac{1}{3}$ oz .....\$25.00   |
| <b>488009</b> Hearts, n° 1056 – gros, 15 cavities.....\$30.50                     |
| <b>488122</b> Hearts, n° 119 – petits, 42 cavities, $\frac{1}{4}$ oz .....\$30.50 |
| <b>488108</b> Log cabins, n° 1165, 14 cavities .....\$30.50                       |
| <b>488160</b> Buckets, n° 1236, 16 cavities .....\$24.00                          |



# ACCESSORIES



**A**



**B**



**C**



**D**



**E**



**F**

## A CONES

452581 900 per box ..... \$23.20

## B CONE TABLES

Made with polyethylene

489105 For mini cones, 60 cavities (white) ..... \$129.60

489921 12 cavities ..... \$47.40

489938 24 cavities ..... \$68.70

489945 36 cavities ..... \$84.40

489952 48 cavities ..... \$113.00

## C LITHOGRAPHED CONE BOXES WITH CLEAR TOP

Bush scene design, space to inscribe producer's name. 100 per box.

452857 For 6 cones ..... \$0.90

452888 For 12 cones ..... \$1.00

## D WHITE CONE BOXES WITH OPEN CLEAR TOP

100 per box

452611 For 6 cones ..... \$0.90

452765 For 12 cones ..... \$1.00

## E SUGAR MOLDS

268625 250 g adjustable table, 35 molds ..... \$193.50

268656 500 g adjustable table, 24 molds ..... \$175.50

487989 Table only ..... \$45.00

268687 250 g molds only, separators included ..... \$5.70

268717 500 g molds only, separators included ..... \$7.20

## F CELLOPHANE BAGS

100 per box

487675 4 oz (2.5" x 1" x 6") ..... \$8.60

487552 375g, for lollipops (2.5" x 1.25" x 7") ..... \$10.30

487583 1 lb (3.25" x 1.25" x 8.5") ..... \$12.70

487590 1.5 lb (3.5" x 1.25" x 9") ..... \$14.00

## G SEALING WAX BLOCS

489020 Red (1kg) ..... \$37.10      489044 Gold (1kg) ..... \$37.10

488979 Silver (1kg) ..... \$37.10      489518 Black (1kg) ..... \$37.10

488993 Blue (1kg) ..... \$37.10      489556 White (1lb) ..... \$21.30

# ACCESSORIES

## A STAINLESS STEEL PAIL

470066 3 gallons ..... \$95.10



**A**

## DRUM FUNNEL (NOT SHOWN).

473159 Drum funnel ..... \$157.50

## HEAVY PADDLES MADE OF MAPLE

|                                         |               |
|-----------------------------------------|---------------|
| <b>B</b> 490125 42"                     | ..... \$23.00 |
| <b>C</b> 490002 24" Old-fashioned model | ..... \$18.60 |
| <b>D</b> 490026 18" Old-fashioned model | ..... \$15.90 |
| <b>E</b> 490040 12" Old-fashioned model | ..... \$13.10 |



**B**



**C**



**D**



**E**

**H**



**F** **G**

## TAFFY STICKS MADE OF MAPLE WOOD

|                                            |               |
|--------------------------------------------|---------------|
| <b>F</b> 490057 10", 12 per package        | ..... \$16.40 |
| 490033 6", 12 per package                  | ..... \$10.80 |
| 490101 8", 12 per package                  | ..... \$16.20 |
| <b>G</b> 489129 Tongue depressors (500/cs) | ..... \$10.50 |

## H GLUCOSE


|                  |               |
|------------------|---------------|
| 477539 20 liters | ..... \$63.40 |
| 477553 4 liters  | ..... \$15.70 |



**F** **G**

## DEFOAMER, KOSHER

|                                  |               |
|----------------------------------|---------------|
| <b>I</b> 477614 1 liter, liquid  | ..... \$23.00 |
| 477621 4 liters, liquid          | ..... \$66.60 |
| <b>J</b> 477591 200 g, powder    | ..... \$7.50  |
| <b>K</b> 477560 2.5 Kilo, powder | ..... \$57.60 |



## DEFOAMER

|                                                    |               |
|----------------------------------------------------|---------------|
| <b>L</b> 477669 4 Liters, organic sunflower oil    | ..... \$56.70 |
| <b>M</b> 267024 Stainless steel spoon for defoamer | ..... \$18.50 |


## N D&G GENUGEL

Gelatine to produce maple jelly. Approximately one jar of 250 ml / g  
477577 200 g ..... \$17.90



## O SUCROVERT

To invert syrup which has to be transformed into subproducts.  
498541 465 ml ..... \$34.70



Please note that all prices are subject to change

Visit our website: [www.dominiongrimm.ca](http://www.dominiongrimm.ca)

# LABELS

A



B



C



D



## CLEAR GUMMED LABELS

Oval, can be used on different balls (500/Roll)

- A** 493218 Mini "Pure Maple Syrup", clear.....\$11.60
- B** 493232 "Pure Maple Syrup", clear.....\$12.10
- C** 493515 "Pure Maple Syrup", 8.45 fl. oz., clear.....\$12.10
- D** 493492 New York, clear .....\$12.10
- E** 493478 New York, 8.45 fl. oz., clear .....\$12.10
- F** 493454 Vermont, clear.....\$12.10
- G** 493430 Vermont, 8.45 fl. oz., clear.....\$12.10
- H** 493676 "Pure Maple Syrup, full color.....\$11.60
- I** 493591 "Pure Maple Syrup", full color .....\$12.10
- 493652 "Pure Maple Syrup, 8.45 fl. oz., full color.....\$12.10
- J** 493614 "Pure Maple Syrup, 16.9 fl. oz., full color.....\$12.10

## NUTRITION FACTS TABLE STICKERS (NOT SHOWN)

500/Roll

- 493904** Large size .....\$33.00
- 493911** Medium size.....\$27.50
- 493942** For syrup, 200/Roll .....\$10.50

E



G



H



I



J



**GRADE STICKERS (ALL STATE)**


|                                                   |                       |
|---------------------------------------------------|-----------------------|
| 500/Roll                                          | \$5.95/Roll           |
| Code Description                                  | Transmission of light |
| <b>A</b> 999210 Gold with delicate taste.....     | + 75 %                |
| <b>B</b> 999211 Amber with rich taste .....       | 50 % - 74.9 %         |
| <b>C</b> 999212 Dark with robust taste .....      | 25 % - 49.9 %         |
| <b>D</b> 999213 Very dark with strong taste ..... | - 25 %                |

**GRADE STICKERS (VERMONT)**

|                                                   |                       |
|---------------------------------------------------|-----------------------|
| 500/Roll                                          | \$5.95/Roll           |
| Code Description                                  | Transmission of light |
| <b>E</b> 999200 Gold with delicate taste.....     | + 75 %                |
| <b>F</b> 999201 Amber with rich taste .....       | 50 % - 74.9 %         |
| <b>G</b> 999202 Dark with robust taste .....      | 25 % - 49.9 %         |
| <b>H</b> 999203 Very dark with strong taste ..... | - 25 %                |

**GRADE STICKERS (NEW YORK)**

|                                                   |                       |
|---------------------------------------------------|-----------------------|
| 500/Roll                                          | \$5.95/Roll           |
| Code Description                                  | Transmission of light |
| <b>I</b> 999205 Gold with delicate taste.....     | + 75 %                |
| <b>J</b> 999206 Amber with rich taste .....       | 50 % - 74.9 %         |
| <b>K</b> 999207 Dark with robust taste .....      | 25 % - 49.9 %         |
| <b>L</b> 999208 Very dark with strong taste ..... | - 25 %                |

**M MAPLE LEAF STICKER**

Gold maple leaf with clear background. Completes your package.

**493522** 500/Roll .....\$15.20


**PERSONALIZED LABELS, (MINIMUM OF 1000)**

Printed with customer's name. For syrup cans or any other container used for maple syrup products.

**N 493447**  $15/16'' \times 2\frac{1}{16}''$  Sugar bush design.....\$31.40

**493355** Bar code, without pattern .....\$46.40

+ \$100 activation fee



# LABELS | BOOKS






## DECORATIVE CARDS, 100/BAG

Bilingual decorative cards with nutrition facts for maple syrup.

**A 452482** Maple leaf.....\$0.19

**452475** Sugar bush scene  
with elasti-band .....\$0.27

**493713** Tamper evident gold  
foil sticker  
(1000/Roll) .....\$28.40





## TECHNICAL BOOKS

**480492** Baking – Confection  
(by-products) \$14.50

**493317** Guide to forest  
management \$29.80

**493867** Sugarmaker's Companion  
By: Michael Farrell....\$52.50



## HISTORY

**492952** Spouts, patents and  
sugar making objects  
of yester-year. By:  
Jean-Rock Morin....\$33.10

## RECIPES

**493881** Vermont Festival  
Cookbook .....\$23.60

**494260** Sweet Ontario –  
Our Favourite Maple  
Syrup Recipes.....\$14.30

# METAL TINS | GRADING KITS

## METAL LITHOGRAPHED TINS

Nutrition facts and caps included.

|                 |                       |        |
|-----------------|-----------------------|--------|
| <b>A</b> 501050 | 1/2 Pint, 65/box..... | \$1.38 |
| <b>B</b> 501036 | Pint, 35/box.....     | \$1.75 |
| <b>C</b> 500992 | Quart, 24/box .....   | \$2.42 |

## GRADING SETS


|                 |                                |         |
|-----------------|--------------------------------|---------|
| <b>D</b> 117435 | Grading set, new classes ..... | \$48.70 |
|-----------------|--------------------------------|---------|

Valid for two years.

|                 |                                                            |          |
|-----------------|------------------------------------------------------------|----------|
| 495182          | Additional empty bottles .....                             | \$3.74   |
| 117299          | Box for deflect flavours (with English instructions) ..... | \$45.00  |
| <b>E</b> 117312 | Lovibond grading set, Complete .....                       | \$378.70 |
| <b>F</b> 117329 | Lovibond color wheel, IMSI .....                           | \$262.40 |
| <b>G</b> 117510 | Lovibond optical glass (only).....                         | \$105.30 |
| <b>H</b> 117503 | Lovibond support (only).....                               | \$171.00 |

## ACCESSORIES FOR HANNA TESTER

|                 |                                                         |          |
|-----------------|---------------------------------------------------------|----------|
| <b>I</b> 122415 | Maple Syrup Digital Grader (HI759) .....                | \$77.50  |
| 122422          | Test tubes, 25/package (HI759)                          |          |
| <b>J</b> 117213 | Maple Syrup Grading Portable Photometer (HI96759) ..... | \$360.00 |
| 115622          | Disposable test tube, 100/package (HI96759).....        | \$40.50  |
| 115615          | Disposable pipette, 50/package .....                    | \$7.65   |
| 117183          | 450 ml Glycerin for Hanna Tester .....                  | \$26.40  |



# JUGS

AGAIN THIS YEAR DOMINION GRIMM USA INC. WILL GIVE 1 PENNY FOR EACH JUG AND TIN CAN SOLD IN THE USA TO THE NORTH AMERICAN MAPLE SYRUP COUNCIL FOR RESEARCH IN THE MAPLE INDUSTRY.

OTHER STATES  
AVAILABLE  
UPON REQUEST

PRIVATE  
PRINTED JUGS  
ALSO AVAILABLE



## SPECIAL PRICING PER QUANTITY

### TAMPER EVIDENT CAPS FOR JUGS

|        |                            |        |                            |
|--------|----------------------------|--------|----------------------------|
| 590559 | 28PP(TE), brown, 2300/box  | 590443 | 38PP (TE), brown, 1600/box |
| 590009 | 28PP (TE), black, 2300/box | 591525 | 38PP (TE), black, 1600/box |
| 590542 | 28PP (TE), red, 2300/box   | 589942 | 38PP (TE), red, 1600/box   |

### RESHIPPING BOXES FOR BEIGE JUGS (NOT SHOWN)

|        |                          |        |                           |
|--------|--------------------------|--------|---------------------------|
| 450570 | 24 x 3.4oz., 25/bundle   | 450693 | 12 x Quart, 25/bundle     |
| 450600 | 12 x 1/2 Pint, 25/bundle | 450723 | 6 x 1/2 Gallon, 25/bundle |
| 450631 | 12 x Pint, 25/bundle     | 450716 | 4 x Gallon, 25/ bundle    |



### 4 LITER PLASTIC CONTAINERS

Natural plastic

- A 589041 4 liter square  
B 589065 4 liter rectangular

# LITHOGRAPHED TUBS

## SPECIAL PRICING FOR LARGER QUANTITIES

### STATE LABELLED BOTTLES

The state bottle designs are available in different states by request.

|   | NY     | VT     | ALL STATES | Price  |
|---|--------|--------|------------|--------|
| A | Gallon | 999115 | 999123     | 999131 |
| B | ½ Gal. | 999116 | 999124     | 999132 |
| C | Liter  | 999117 | 999125     | 999133 |
| D | 500 ml | 999118 | 999126     | 999134 |
| E | 250 ml | 999119 | 999127     | 999135 |



### VMSMA GLASS JUGS

|   |        |                   |                        |
|---|--------|-------------------|------------------------|
| F | 999107 | 1 Gallon (38-400) | \$3.75                 |
| G | 999106 | ½ Gallon (38-400) | \$2.95                 |
| H | 999105 | 1 Liter (31.5PP)  | \$2.85                 |
| I | 999104 | 500 ml (31.5PP)   | \$2.15                 |
| J | 999103 | 250 ml (31.5PP)   | \$2.00                 |
| K | 999102 | 100 ml (18PP)     | AVAILABLE UPON REQUEST |



### MAPLE CREAM GLASS JARS

The maple cream jars are only available with the ALL STATE design.  
Private labelling available.

|   |        |         |        |
|---|--------|---------|--------|
| L | 999136 | 1 pound | \$1.50 |
| M | 999137 | ½ pound | \$1.40 |
| N | 999138 | ¼ pound | \$1.30 |



# BOTTLES

VISIT OUR BROCHURE ONLINE TO VIEW OUR  
ENTIRE LINE OF JARS AND BOTTLES  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)



## TARQUINA BOTTLES

**503672** 250 ml (28-400), 12/box



## FOLIA BOTTLES

**496745** 250 ml (28-400), 12/box

**496769** 500 ml (28-400), 16/box



## MAPLE LEAF BOTTLES

**498619** 50 ml (18PP), 48/box

**498633** 100 ml (24PP), 12/box

**498602** 250 ml (24PP), 12/box

**498749** 500 ml (28PP), 12/box



## D&G MAPLE LEAF BOTTLES

**499098** 40 ml (18PP), 48/box

**499104** 200 ml (28PP), 12/box



## BOUTEILLES TONDO

**498190** 100 ml (28PP), 96/bundle

**498084** 250 ml (28PP), 53/bundle

**498169** 500 ml (28PP), 32/bundle



## GALLONE BOTTLES

**502279** 50 ml (18PP), 96/box

**499401** 250 ml (31.5PP), 12/box

**495625** 500 ml (31.5PP), 12/box

**495663** 1 liter (31.5PP), 6/box

**503313** 64 oz (38-400), 6/box

**503320** 128 oz (38-400), 4/box



## BASQUAISE BOTTLES

**499036** 250 ml (28PP), 12/box

**498145** 500 ml (31.5PP), 12/box

# BOTTLES



## SYRUP BOTTLES WITH HANDLES

- 505188** 250 ml (28PP), 12/box  
**505195** 375 ml (28PP), 12/box  
**505218** 500 ml (28PP), 12/box



## WHISKEY BOTTLES

- 501661** 750 ml (28-400), 12/box  
**502064** 1 liter (28-400), 12/box



## ROUND BOTTLE

- 502002** 1 Liter (28PP), 12/box



## ICE BOTTLES

- 498435** 50 ml (18PP), 96/box  
**503788** 100 ml Stephanie (22-400), 12/box  
**504211** 200 ml Stephanie (31.5PP), 12/box



## GENA BOTTLES

- 503047** 8oz (38-400), 12/box  
**499029** 16oz (38-400), 12/box  
**499012** 12oz (38-400), 12/box  
**499050** 32oz (48-400), 12/box



## HOCKEY PLAYER BOTTLE

- 503924** 200 ml (28PP), 12/box



## LEO BOTTLE

- 496820** 50 ml Leo (18PP), 48/box  
**502774** 375 ml Leo (28PP), 12/box



## MARASCA (CLEAR) BOTTLES

- 495823** 60 ml (18PP), 24/box  
**498329** 100 ml (24PP), 24/box  
**503771** 250 ml (31.5PP), 12/box  
**498428** 500 ml (31.5PP), 12/box  
**498442** 750 ml (31.5PP), 12/box  
**503351** 1 liter (31.5PP), 12/box



## DORICA (CLEAR) BOTTLES

- 501708** 100 ml (24PP), 24/box  
**502125** 250 ml (31.5PP), 12/box  
**503566** 500 ml (31.5PP), 12/box  
**504334** 750 ml (31.5PP), 12/box



## HEAT SHRINK CAPSULES

- 588624** Black (31.5PP)

# JARS

VISIT OUR BROCHURE ONLINE TO VIEW OUR  
ENTIRE LINE OF JARS AND BOTTLES  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)


**A**

## A OVAL HEX JARS

- 497285** 110 ml (48mm), 12/box
- 497308** 190 ml (58mm), 12/box
- 497322** 270 ml (63mm), 12/box


**B**

## B HEX JARS

- 497063** 45 ml (43mm), 24/box
- 496943** 110 ml (48mm), 12/box
- 496974** 190 ml (58mm), 12/box
- 496981** 270 ml (63mm), 12/box
- 504662** 390 ml (70mm), 12/box



## C FANCY JARS

- C 503627** 125 ml Square (53mm), 20/box
- 502415** 212 ml Square (58mm), 12/box
- 503399** 190 ml Panel (63mm), 12/box


**D**

## D TURENNE JARS

- 497599** 100 ml (70mm), 12/box
- 497537** 200 ml (82mm), 12/box
- 497568** 370 ml (89mm), 24/box


**F**


## TALL JARS

- 497100** 250 ml (53mm), 12/box
- E 497315** 375 ml (58mm), 12/box
- 497124** 375 ml (58mm), 12/box
- 497148** 500 ml (63mm), 12/box
- F 502453** 750 ml (82mm), 12/box
- 497186** 750 ml (70mm), 12/box
- 502422** 991 ml (82mm), 12/box

## SHORT JARS

- 503597** 100 ml (53mm), 12/box
- 503061** 229 ml (70mm), 12/box
- G 497483** 250 ml (70mm), 12/box
- 496882** 250 ml (70mm), 12/box
- 503375** 375 ml (70mm), 12/box
- 496905** 375 ml (70mm), 12/box
- 497247** 500 ml (82mm), 12/box
- H 558047** 750 ml (82mm), 12/box



## ROUND JARS

- 503849** 106 ml (70-DTO-18), 12/box
- 503894** 212 ml (70-DTO-18), 12/box
- 504754** 314 ml (70-DTO-18), 12/box
- I 504754** 375 ml (70-DTO-18), 12/box
- J 504273** 580 ml (70-DTO-18), 12/box

## LIDS FOR ROUND JARS

- | 70 MM X-DTO (18) |                          |
|------------------|--------------------------|
| <b>K 593703</b>  | Black, 550/box           |
| <b>L 591990</b>  | Gold, 480/box            |
| <b>M 591969</b>  | Copper, 480/box          |
| <b>N 592379</b>  | Silver, 550/box          |
| <b>591488</b>    | Silver (button), 575/box |

# CONTAINERS FOR HONEY



**PLASTIC CONTAINERS WITH HONEYCOMB PATTERN**

- A** 524035 500g, 12/box  
**B** 524042 1 kilo, 12/box

**LIDS FOR PLASTIC CONTAINERS**

- 524097 63 Yellow  
**C** 524103 63 Black



**JARS THAT TAKE EITHER MASON LID OR PLASTIC LID**

- D** 496011 250 ml / 330g (70-450), 12/box  
**E** 496189 375 ml / 500g (70-450), 12/box  
**496240** 750 ml / 1 kilo (70-450), 12/box

**F MASON LID OPTIONS**

- 591761 Gold (button), 70-450, 725/box  
**591754** Gold (no button), 70-450, 725/box  
**591778** Black (button), 70-450, 725/box  
**591242** Black (no button), 70-450, 725/box



**PLASTIC BOTTLES**

- G** 558320 2 panel bear, 375 g (38-400), 240/box  
**H** 558344 1 panel bear, 375 g (38-400), 240/box  
**I** 589133 500g Upside Down (38-400), 12/box
- J** 583346 500 g OBA (38-400), 12/box  
**583315** 1 Kg OBA (38-400), 12/box



**COMBED HONEY CONTAINERS**

- 491559** 250 ml aluminum (lids included), 1000/box  
**L** 540257 250 g white rectangular TE container, 560/box  
**K** 539299 Clear rectangular lid, 1260/box



**PLASTIC CONTAINERS**

- M** 540103 500 g TE graphic tub, 500/box  
**540127** 1 Kilo TE graphic tub, 456/box  
**N** 540486 Graphic lid, 1000/box



**SMALL GLASS JARS**

- O** 497520 20 ml (43 mm), 96/box  
**P** 497728 40 ml (43 mm), 96/box  
**Q** 497469 60 ml (48 mm), 96/box  
**R** 497032 125 ml (48 mm), 12/box



**MIELE JARS**

- S** 497667 390 ml / 500 g (70 mm), 12/box  
**T** 497742 780 ml / 1 Kilo (82 mm), 12/box



**WOOD HONEY DIPPERS**

- U** 489051 4", 100/box  
**V** 489068 6", 25/box

**HONEY STICKERS (NOT SHOWN)**

- 452666** Tamper Evident Sticker - "Granulation..." - 1000/Roll

# CAPS AND COVERS



## PRINTED 250ML BASQUAISE BOTTLES

|                 |                |        |        |                                 |         |
|-----------------|----------------|--------|--------|---------------------------------|---------|
| <b>A</b> 999151 | Covered Bridge | \$2.25 | 589089 | 20 Liters                       | \$13.85 |
| <b>B</b> 999150 | Maple Leaf     | \$2.00 | 592959 | 60mm Plastic cap (red, regular) | \$1.08  |
| <b>C</b> 999152 | Moose          | \$2.20 | 592591 | 60mm Natural Rieke opening 3/4" | \$1.38  |

## D PLASTIC SYRUP CONTAINERS

|                 |                  |         |
|-----------------|------------------|---------|
| <b>E</b> 999501 | Ratchet for wire | \$6.10  |
| <b>F</b> 999502 | Arm for ratchet  | \$11.28 |

## RATCHETS

|                 |                  |         |
|-----------------|------------------|---------|
| <b>E</b> 999501 | Ratchet for wire | \$6.10  |
| <b>F</b> 999502 | Arm for ratchet  | \$11.28 |




## REGULAR PLASTIC CAPS

| Code            | Color            | Size   | Qty/Box | Code            | Color           | Size   | Qty/Box |
|-----------------|------------------|--------|---------|-----------------|-----------------|--------|---------|
| 589393          | Black            | 18x400 | 7600    | 590481          | Black           | 18PP   | 3000    |
| 589423          | White            | 18x400 | 7600    | 590313          | Gold            | 18PP   | 3000    |
| 590139          | Black            | 22x400 | 4700    | 590016          | Black           | 24PP   | 2000    |
| 589690          | White            | 24x400 | 3900    | 590368          | Gold            | 24PP   | 2000    |
| <b>A</b> 590078 | Brown            | 24x400 | 3900    | 590009          | Black           | 28PP   | 2300    |
| 590023          | Black            | 28x400 | 4675    | <b>C</b> 589485 | White           | 28PP   | 2300    |
| <b>B</b> 589966 | White            | 28x400 | 4675    | 590559          | Brown           | 28PP   | 2300    |
| 589782          | Brown            | 28x400 | 4675    | 590580          | Gold            | 28PP   | 2300    |
| 590238          | White            | 31.5   | 4000    | 590542          | Red             | 28PP   | 2300    |
| 590207          | Black            | 31.5   | 4500    | 590375          | Gold *Italian*  | 28PP   | 3000    |
| 590535          | White            | 38x400 | 2600    | 504822          | Black *Italian* | 28PP   | 3000    |
| 590450          | White (Tri-Foam) | 38x400 | 2600    | <b>D</b> 589768 | Black (short)   | 31.5PP | 1600    |
| 590467          | Black (Tri-Foam) | 38x400 | 2500    | 589799          | Black           | 31.5PP | 1600    |
|                 |                  |        |         | <b>E</b> 590030 | Gold            | 31.5PP | 1600    |
|                 |                  |        |         | 590443          | Brown           | 38PP   | 1600    |
|                 |                  |        |         | 589942          | Red             | 38PP   | 1600    |

## METAL CONTINUOUS THREAD CAPS

| Code            | Description    | Qty/Box |
|-----------------|----------------|---------|
| <b>F</b> 591716 | 38 x 400 Gold  | 3800    |
| <b>G</b> 591693 | 38 x 400 Black | 3800    |



#### METAL COVERS

| Code   | Description          | Qty/Box | Code   | Description       | Qty/Box | Code   | Description         | Qty/Box     | Code | Description | Qty/Box                |              |
|--------|----------------------|---------|--------|-------------------|---------|--------|---------------------|-------------|------|-------------|------------------------|--------------|
| 593024 | 38 mm black          | 3700    | 593246 | 53 mm black       | 1750    | 590696 | 63 mm silver        | 1430        | J    | 593666      | 82 mm white            |              |
| 593000 | 38 mm black (button) | 3700    | 593277 | 53 mm gold        | 1750    | 590702 | 70 mm silver        | 1050        | K    | 593659      | 82 mm silver           |              |
| 593031 | 38 mm gold           | 3700    | 593307 | 53 mm white       | 1750    | 593512 | 70 mm black         | 1050        | L    | 593680      | 82 mm honeycomb        |              |
| 593062 | 38 mm white          | 3700    | 590917 | 53 mm silver      | 2000    | 593543 | 70 mm gold          | 1050        |      | 593628      | 82 mm gold p.b.        |              |
| 593093 | 43 mm black          | 3400    | 593338 | 58 mm black       | 1575    | 593086 | 70 mm gold retort   | 1050        |      | 593109      | 82 mm gold retort p.b. |              |
| 593123 | 43 mm gold           | 3400    | 593369 | 58 mm gold        | 1575    | 593574 | 70 mm white         | 1050        | M    | 593710      | 82 mm pink flower      |              |
| 593154 | 43 mm white          | 3400    | 593390 | 58 mm white       | 1575    | 593505 | 70 mm silver p.b.   | 1050        | N    | 482649      | 82 mm yellow flower    |              |
| 593116 | 43 mm silver         | 3400    | 593611 | 58 mm honeycomb   | 1575    | 593499 | 70 mm gold p.b.     | 1050        |      | 593697      | 89 mm gold             |              |
| 590634 | 43 mm honeycomb      | 3400    | 593376 | 58 mm silver p.b. | 1575    | 593673 | 70 mm honeycomb     | 1050        |      | 593727      | 89 mm white            |              |
| 593048 | 48 mm black          | 2700    | 593420 | 63 mm black       | 1200    | 593567 | 70 mm pink flower   | 1050        |      | 592041      | 100 mm white           |              |
| 593185 | 48 mm gold           | 2700    | 593451 | 63 mm gold        | 1200    | 522451 | 70 mm yellow flower | 1050        |      | 592058      | 100 mm gold            |              |
| 593215 | 48 mm white          | 2700    | 593482 | 63 mm white       | 1200    | H      | 593604              | 82 mm black |      | 593758      | 110 mm gold            |              |
| 590665 | 48 mm silver         | 2700    | 593444 | 63 mm silver p.b. | 1200    | I      | 593635              | 82 mm gold  | 725  |             | 593765                 | 110 mm white |
| 590672 | 48 mm honeycomb      | 3400    | 482595 | 63 mm honeycomb   | 1200    |        |                     |             |      |             | 270                    |              |

**TO SEE ALL OUR BOTTLES AND JARS,  
CONSULT OUR PACKAGING BROCHURE AT:  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)**





90 Parah Dr.  
St. Albans, VT 05478  
T. 877.277.9625  
F. 802.524.9643  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)

PRESORTED STANDARD  
U.S. POSTAGE  
PAID  
  
CHAMPLAIN, NY  
PERMIT NO. 62

**DEALERS  
WANTED**  
CALL  
**1.877.277.9625**

## D&G AUTHORIZED DEALERS

### INDIANA

#### DAN WINGER

11571 North Ogden Rd.,  
North Manchester, IN  
46962  
T. 260.578.7382

### OHIO

#### STUMPWATER FARM LLC

C/o Al & Jared Baxter  
29499 Clark Rd.  
Sullivan, OH 44880  
T. 419.736.3576  
C. 419.606.2213  
[stumpwater@outlook.com](mailto:stumpwater@outlook.com)

#### SUGARBUSH CREEK FARM

C/o Jim Cermak  
13034 Madison Rd.,  
Middlefield, OH 44062  
T. 440.636.5371  
[docmaple@msn.com](mailto:docmaple@msn.com)

### WISCONSIN

#### STERNITZKY SPECIALTY FOODS, THE MAPLE DUDE

W1417 US Hwy 10,  
Granton, WI 54436  
T. 715.571.3329  
[www.themapledude.com](http://www.themapledude.com)  
[www.sternitzkymaple.com](http://www.sternitzkymaple.com)  
[tim@themapledude.com](mailto:tim@themapledude.com)

#### ANDY SIPPL

N1 2020 Tamrake Rd.,  
Birnamwood, WI 54414  
T. 715.216.4627  
[sipplssugarbush@hotmail.com](mailto:sipplssugarbush@hotmail.com)

#### MIKE ORYSEN

N 5767 Sams Lane  
Prentice, WI 54556  
T. 715.829.0311  
[mike@autumnridgemaple.com](mailto:mike@autumnridgemaple.com)

### NEW HAMPSHIRE

#### BEN'S SUGARSHACK

83 Webster Hwy.,  
Temple, NH 03084  
T. 603.562.6595  
[ben@bensmaplesyrup.com](mailto:ben@bensmaplesyrup.com)

### NEW YORK

#### HOOVER MAPLE SUPPLY

C/o Mahlon Hoover  
2355 Pulteney Rd.,  
Branchport, NY 14418  
T. 607.522.4340

#### BRIAN DENO

667 O'Neal Rd.,  
West Chazy, NY 12992  
T. 518.570.7744  
[bdeno@twcny.rr.com](mailto:bdeno@twcny.rr.com)

#### RIPPLE ROAD MAPLE, WALLING FAMILY SUGARHOUSE

655 Ripple Rd.,  
Norwich, NY 13815  
T. 607.674.5273  
[info@ripleroadmaple.com](mailto:info@ripleroadmaple.com)  
[www.ripleroadmaple.com](http://www.ripleroadmaple.com)

#### MAPLE SYRUP MAKING SUPPLIES

C/o Leroy Burnham  
16695 Sandy Creek Valley  
Rd.,  
Watertown, NY 13601  
T. 315.767.2845  
[maplechasefarm@yahoo.com](mailto:maplechasefarm@yahoo.com)

### NEW YORK (CONTINUED)

#### MACK MAPLE SUPPLY

C/o Gavin McKellar  
1139 County Rt. 35  
Postdam, NY 13676  
T. 315.244.5256  
[mackmaplesupply@gmail.com](mailto:mackmaplesupply@gmail.com)  
[www.mackmaplesupply.com](http://www.mackmaplesupply.com)

#### SCHWEIGART'S MAPLE

EQUIPMENT  
C/o George Schweigart  
804 CR103  
Woodhull, NY 14418  
T. 602.525.6353  
[gschweigart08@gmail.com](mailto:gschweigart08@gmail.com)

#### COUNTRY POWER PRODUCTS INC.

C/o John Rieger  
2339 State Route 40,  
Greenwich, NY 12834  
T. 518.692.1015  
[john@countrypowerproducts.com](mailto:john@countrypowerproducts.com)

### MAINE

#### SUGA COUNTRY PRODUCTS

C/o Joe & Adele Suga  
861 Cross Hill Rd.,  
Vassalboro, ME 04989  
T. 207.923.3355  
[sugacountryproducts@gmail.com](mailto:sugacountryproducts@gmail.com)  
[www.sugacountryproducts.com](http://www.sugacountryproducts.com)

#### ASHLEY GERRY

P.O. Box 48,  
Newfield, ME 04056  
T. 207.793.2773  
[ashleygerry@gmail.com](mailto:ashleygerry@gmail.com)

### PENNSYLVANIA

#### RUSSELL MAPLE FARMS

C/o Don, Debbie, Adam  
Russell  
1379, Orwell Hill Rd.  
Rome, PA 18837-7873  
T. 570.247.7360  
F. 570.247.2591  
[russellmaplefarms@gmail.com](mailto:russellmaplefarms@gmail.com)

#### BRENNEMAN'S MAPLE FARM

C/o Henry Brenneman  
572 Oak Dale Rd.  
Salisbury, PA 15558  
T. 814.941.8974

#### BLOOMING VALLEY LANDSCAPE SUPPLY

C/o Jason Holwes  
24213 State Hwy 77  
Meadville, PA 16335  
T. 814.724.5296  
F. 814.724.1185  
[jason@bvlas.com](mailto:jason@bvlas.com)

### VERMONT

#### MOUNT PLEASANT SUGARWORKS

C/o Andrew & Donna Hutchison  
2668 US Route 7  
Leicester, VT 05733  
T. 802.247.3117  
TOLL FREE 1.800.439.3117  
[info@mountpleasantmaple.com](mailto:info@mountpleasantmaple.com)  
[www.mountpleasantmaple.com](http://www.mountpleasantmaple.com)

#### ROARING BROOK MAPLE

C/O: Steve & Connie Berger  
176 Railroad Street  
Wallingford, VT 05773  
T: (1802)446-3199  
[roaringbrookmaple@yahoo.com](mailto:roaringbrookmaple@yahoo.com)

### VERMONT (CONTINUED)

#### GOODRICH MAPLE

C/o Glenn & Ruth  
Goodrich  
2427 US Route 2,  
Cabot, VT 05647  
T. 1.800.639.1854  
F. 802.426.3388  
[goodrichsmapple@yahoo.com](mailto:goodrichsmapple@yahoo.com)  
[goodrichmaplefarm.com](http://goodrichmaplefarm.com)

#### POULIN'S SUGARHOUSE

Justin Poulin  
450 VT RT 12A,  
Randolph VT 05060  
T. 802.728.4227  
T. 802.431.3645  
[justin@gmavt.net](mailto:justin@gmavt.net)

#### APPALACHIAN SUPPLY INC., ST. JOHNSBURRY

4581 Memorial Drive,  
St. Johnsbury, VT 05819  
T. 802.748.4513  
F. 802.748.1469  
[info@appalachiansupplyinc.com](mailto:info@appalachiansupplyinc.com)

#### BARTON MAPLE COMPANY

155 Main St.,  
Barton VT 05822  
T. 802.525.4600  
C. 802.673.4199  
[bmc@myfairpoint.net](mailto:bmc@myfairpoint.net)